

The Newsletter of the International Fission-Track Community
September 2003, Volume 13, Number 2, Issue 26

Contents

EDITOR'S NOTES	2
SHORT TRACKS	2
FORTHCOMING MEETINGS	4
RECENT PHD THESES:	
APATITE FISSION-TRACK THERMOCHRONOLOGY OF THE ALTAI MOUNTAINS (SOUTH SIBERIA, RUSSIA) AND THE TIEN SHAN MOUNTAINS (KYRGYZSTAN): RELEVANCE TO MESOZOIC TECTONICS AND DENUDATION IN CENTRAL ASIA by Johan De Grave.....	7
NEOGENE TO QUATERNARY THERMO-TECTONIC EVOLUTION OF NORTH-EASTERN CORSICA by Maria Giuditta Fellin.....	8
THE LONG-TERM THERMAL EVOLUTION OF CENTRAL FENNOSCANDIA, REVEALED BY LOW-TEMPERATURE THERMOCHRONOMETRY by Glen Murrell.....	9
LATE-STAGE TECTONIC PROCESSES IN OROGENS: CONSTRAINTS FROM AR-AR, FISSION TRACK DATING AND STRUCTURAL STUDIES by Maria Wiesinger.....	10
FISSION TRACK THERMOCHRONOLOGY OF THE CRETACEOUS SINDONG GROUP AND THE PALGONGSAN GRANITE, GYEONSANG BASIN, KOREA by Hyoun Soo Lim.....	11
POST LATE PALEOZOIC TECTONOTHERMAL EVOLUTION OF THE NORTHEASTERN MARGIN OF IBERIA, ASSESSED BY FISSION-TRACK AND (U-TH)/HE ANALYSIS: A CASE HISTORY FROM THE CATALAN COASTAL RANGES by Joaquim Juez-Larré.....	12
EDM FOR GLASSES? by Giulio Bigazzi.....	13
AUTOMATED FISSION TRACK DATING SYSTEMS – THE NEXT GENERATION by Michael Krochmal.....	17
EXPERIMENTAL EVIDENCE CONCERNING THE PRESSURE DEPENDENCE OF HE DIFFUSION AND FISSION-TRACK ANNEALING KINETICS IN APATITE by Ray Donelick, Ken Farley, Paul O'Sullivan, and Paul Asimov.....	19
FISSION-TRACK PAPERS 2003	22
INTERNATIONAL FISSION-TRACK DIRECTORY	27
CALL FOR CONTRIBUTIONS	44

On Track is a newsletter of the international fission-track community published electronically in the months of July and February. The views expressed in On Track articles are those of the authors and do not reflect those of the fission-track community or the editor of On Track. The copyright of articles belongs to the authors. Articles may not be reproduced without written permission. Trademarks and patents are the property of the corporations and/or individuals indicated in the article.

PREVIOUS EDITORS:

Dave Coyle (1990-91), La Trobe University
Trevor Dumitru (1991-92), Stanford University
Rasoul Sorkhabi (1992-93), Arizona State University
Dennis Arne (1993-94), Dalhousie University
Richard J. Weiland (1994-95), University of Texas
Ruth Siddall (1995-96), University College London
Danny Stockli (1996-97), Stanford University
Paul O'Sullivan (1997-98), La Trobe University
Alexander Grist (1998-99), Dalhousie University
Richard Spikings (1999-2000), ETH Zürich
Raymond Jonckheere (2000-2001) Max-Planck
Heidelberg
Andy Carter (2001-2002) Birkbeck College, London

CURRENT EDITOR:

Ed Sobel
Institut für Geowissenschaften,
Universität Potsdam,
Postfach 601553,
D-14415 Potsdam Germany
Phone: + 49 331 977 5403
Fax: + 49 331 977 5060
E-mail: sobel@rz.uni-potsdam.de

Editor's Notes

Next August will bring two important meetings for thermochronology. The 10th International Conference on Fission Track Dating and Thermochronology will be held in Amsterdam from August 8-13th. This meeting is held every 4 years and is THE meeting where the entire International FT community comes together. The meeting will also include other low temperature thermochronologic methods. Shortly afterwards, the 32nd International Geological Congress will be held in Florence, from August 20-28. This meeting includes several sessions of direct interest to trackers. Details about both of the meetings are presented later in this issue. Please try to attend!

Continuing the trend from the last issue, this issue highlights a suite of recent PhD theses. These give an idea of the current work in several FT labs, as well as letting you know about potential new co-workers. Naturally, submission of such abstracts for upcoming issues of OnTrack are strongly encouraged!

Three longer articles focus on a range of topics. The question of whether the external detector method is appropriate for FT-dating of glasses is discussed by Giulio Bigazzi. Michael Krochmal presents an update of technological advances in FT analysis for software as well as hardware. The important issue of whether pressure affects He diffusion and track annealing in apatite is discussed by Ray Donelick et al., based on a suite of new experimental data.

Many of the back issues of OnTrack have been placed on the Universitaet Potsdam web site in pdf format. These can be found at www.geo.uni-potsdam.de/Labore/Spaltspurlabor/ontrack.html. The remaining issues are slowly being scanned and will be added when they are ready.

In the last year, I have been asked to post advertisements for several post-doc positions as well as meeting announcements. These have been sent to the entire OnTrack mailing list. Hopefully these emails have not bothered you, the reader. I hope that the next editor will continue this practice, as it brings useful information to the track community.

The next editor will be Roderick Brown. He has courageously volunteered to take on the job without any arm-twisting. Many of you know him through his program MacTrack and his FT-modeling and landscape development papers. Rod will be quite busy next year. He has accepted the position as Professor of Earth Sciences at the Division of Earth Sciences, University of Glasgow and will start there in April 2004. Please make his job easier by sending him contributions for the next issue of OnTrack! For at least the next few months, Rod can be contacted at rwbrown@unimelb.edu.au.

[Ed Sobel]

Short Tracks

Inter-laboratory Track Length Comparison

Prior to the Amsterdam FT Workshop, I (Tony Hurford) plan to circulate several samples of Durango apatite containing specific track length distributions. This will be the first attempt at a global comparison of anything other than the very basic induced and volcanic-type track length patterns. The plan is to circulate between 30 and 40 sets each containing three Durango aliquots. In each aliquot the spontaneous tracks will have been totally annealed prior to irradiation, the resulting induced tracks then being further annealed. One aliquot will be circulated as "known" i.e. it will have a note of what we measure and can thus serve as an open comparative baseline.

The other two aliquots will be supplied as unknowns. In each case the recipient should process the sample in their usual way, polishing, etching, measuring. Results (anonymous) will be presented at the Amsterdam FT Workshop in August 2004.

The mass of material to be irradiated will restrict the number of sets and so, of necessity, there will be some sharing. I will consult the holders of the FT lab database to ensure an equitable distribution as possible, but you may make representations directly to me, if possible nominating other workers or laboratories who share your etching approaches and with whom you might be able to share a sample set.

The timetable is:

- * from now until February 2004: prepare samples, anneal, irradiate, cool, re-anneal, check lengths
- * from February 2004 circulate samples
- * data to be supplied to me by 1st June 2004 if possible; analysis should not take more than a few hours per person
- * analysis of reported data and presentation of results in August 2004. Only I will know the identity of analysts / labs.

If you have comments ideas or suggestions please contact me. Three aliquots represents a specific and realistic assessment of the time involved in preparation - so please don't ask for more unless you want to do the whole experiment!

Many thanks,
Tony

Dr. Tony Hurford
Department of Earth Sciences
University College London
Gower Street
London WC1E 6BT, UK
E-mail: t.hurford@ucl.ac.uk

Bart Hendriks has finished his PhD at the Isotope Geochemistry department of the Vrije Universiteit in Amsterdam. His PhD thesis, titled 'Cooling and Denudation of the Norwegian and Barents Sea Margins, Northern Scandinavia - Constrained by apatite fission track and (U-Th)/He thermochronology', can be downloaded from http://www.geo.vu.nl/news/thesis_barthendriks.pdf

The pattern of AFT ages in transects perpendicular to the northern Norwegian Atlantic margin is strongly asymmetric. It is demonstrated that the observed pattern is very similar to that of models of passive margin evolution that represent a retreating scarp. On the margin itself the AFT ages are as young as 90 - 100 Ma and further inland, right across the Northern Scandes mountain range ('the Caledonides'), the ages

increase to more than 300 Ma on the gentle eastern flank of the range. Late Cretaceous - Paleogene (U-Th)/He ages in a vertical profile on Kebnekaise, the highest peak in the range, together with the observed age pattern suggest a rift shoulder origin for the range. Nevertheless, additional uplift mechanisms must have played an important role in the later development of the range. On the margin, the youngest AFT ages coincide spatially with a strong, negative gravity anomaly. Overall, the pattern of AFT ages in northern Scandinavia is very different from that observed in previous studies in southern Scandinavia (Max Rohrmann - Southern Norway, Charlotte Cederbom - South/Central Sweden).

Since the 1st of April, Bart is working as a post-doc at the Geological Survey of Norway. He will continue to be working with AFT and (U-Th)/He data from northern Norway, and also use the Survey's Ar/Ar lab. The focus will be on the link between the very strong positive and negative gravity anomalies in the Lofoten and Nordland areas respectively and the late Mesozoic - Cenozoic denudation in these areas.

In January, 2003, Jeremy Hourigan finished his Ph.D. at Stanford University, and moved to Yale University to start a post doctoral position at Yale University. His research with Peter Reiners and Mark Brandon includes isotopic dating of exhumed metamorphic rocks in the Sredinniy Range of Kamchatka (Russia) and Alpi Apuane in the northern Apennines (Italy). He is also working on combined Pb and He dating of detrital zircons.

In May, 2003, Stuart Thomson moved from University of Bochum to start a post doctoral position at Yale University. His research with Peter Reiners and Mark Brandon will focus on He thermochronometry in the northern Apennines to study syn-convergent extension there, as part of the RETREAT project, funded by the NSF Continental Dynamics program.

His main research theme will involve applying (U-Th)/He and fission track thermochronology to help better understand the evolution (in particular the denudational history) of the northern Apennines, Italy. He also intends to continue ongoing research in the southern Andean and Mediterranean regions.

Phil Armstrong was awarded a Petroleum Research Fund grant entitled "Low-temperature thermochronology of the eastern Los Angeles Basin".

Rasoul Sorkhabi has moved to Salt Lake City to become a Research Professor at the Energy & Geoscience Institute of the University of Utah.

The Thermochronology Laboratory of the Universidad Central de Venezuela has been very active. Last year, the Ministry of Science and Technology of Venezuela funded a project on "Terrestrial sources for the Neogene Maracaibo and Barinas Oil basins". The thermochronology group includes Professor Jorge Mora (coordinator; email: jlmoram@hotmail.com), Professor Pedro Alson (investigator; email: palson@euler.ciens.ucv.ve), and Mauricio Bermudez (investigator; email: mbermude@euler.ciens.ucv.ve). Three papers are in press (see Bermúdez-Cella and Alson-Haran in the Fission Track papers section). They have had the support of the following investigators: John Garver of Union College, who participates in their project, Mathias Bernett and Mark Brandon of Yale University, Charles Naeser of USGS, Miguel Balcázar of the ININ, Mexico and Jorge Nieto of the UNAM, Mexico.

In July 2003, Matthias Bernett started a new postdoc position at the Laboratoire de Géodynamique des Chaînes Alpines, Université Joseph Fourier, in Grenoble, France. This position is funded by a Marie Curie Fellowship from the European Union. Matthias is working there with Peter van der Beek on detrital FT analysis of Himalayan sediments, age-elevation profiles in the Western Alps, and trying to advance single zircon FT and U-Pb dating.

Johan De Grave has started a Postdoctoral project supported by the Fund for Scientific Research – Flanders (Belgium). It is entitled "Far field effects of the India-Eurasia collision in Central Asia as revealed by low-temperature thermochronology." It has been shown that ongoing convergence of the Indian and Eurasian plates and resulting strain-partitioning is responsible for active deformation occurring far in the interior of the Eurasian continent. The

goal of this project is to investigate if the timing and intensity of the active intracontinental tectonics affecting the various tectonic and geodynamic units composing Central Asia can be constrained by using low-T thermochronological techniques. The areas the research will focus on are mainly the Altai and Sayan Mountains in South Siberia and Kazakhstan (of particular interest: Irtysh shear zone) and the Tien Shan Mountains in Kyrgyzstan, Uzbekistan and Tadjikistan (of particular interest: Talas-Fergana fault zone). Low-T techniques will include AFT (incorporating existing data from the researcher's PhD) and apatite U-Th/He. If possible also ZFT and $^{40}\text{Ar}/^{39}\text{Ar}$ will be used. AFT analyses will be conducted at the Geological Institute of the University of Gent (Belgium) in co-operation with Peter Van den haute, while the He-analyses will be take place at Stanford (CA, USA) in co-operation with Michael McWilliams. Therefore Johan will work at the Noble Gas Lab of Stanford during one year (starting beginning of 2004).

CSIRO Australia and Patterson Instruments have entered into a collaborative research agreement to develop prototype instrument packages for (U-Th)/He thermochronology to be commercialized under the trade name "Alphachron™". The collaboration integrates the Patterson Instrument's gas handling system with CSIRO's diode-laser extraction module to produce an automated, turn-key instrument for the thermochronology research community. CSIRO Australia manages R&D projects for the global minerals and petroleum industry and undertakes R&D to advance the technology required to perform thermal history analysis. Patterson Instrument's has built helium extraction and gas handling systems in Australia, USA and Europe. For further information contact Brent McInnes (brent.mcinnnes@csiro.au).

Meetings

10th INTERNATIONAL CONFERENCE ON FISSION TRACK DATING AND THERMOCHRONOLOGY

In 2004 the 10th International Conference on Fission Track Dating and Thermochronology will take place at Amsterdam, the Netherlands (<http://www.Amsterdam.nl>). The meeting begins on Sunday afternoon August 8 and lasts till Friday afternoon August 13. The conference meeting is hosted in the building of the Royal Netherlands Academy of Arts and Sciences (KNAW), in the center of Amsterdam city (<http://www.knaw.nl>).

Registration for conference participants and their partners is open on Sunday afternoon at the KNAW building, where a party will be organized to welcome the delegates.

The scientific program is planned as a single session and includes oral presentation and posters on all aspects of fission track analyses and methodology and its applications. Within the program for each day time slots of at least 2 hours are reserved for posters sessions. Special attention will be given to recent developments in methodology, integration with other relevant low-

temperature geochronometers, annealing kinetics and modeling.

Contributions can be submitted either as oral or poster presentations, including software presentation. Oral and poster contributions will be selected for presentation by the Organizing committee on the criteria of originality and relevance of an submitted abstract to the matter of a particular theme.

English will be the official language of the Conference, both for oral and poster presentation. The organization committee will provide support for accommodation. However Amsterdam is a popular place in the summer and hotels are booking up fast. Many budget and low cost hotels can be booked directly. Please consult the Amsterdam Tourist Bureau website for a comprehensive listing of hotels in the city, including contact information for each (<http://www.hotels.nl>).

A comprehensive web site will be established this autumn with further details. The site will be updated regularly and will allow for on-line registration and abstract submission. We are planning to publish a special volume with contributions of the meeting.

A post-conference Field Trip may be offered depending on the initial response received. The Field Trip will be organized by Dr U. Glasmacher, Prof. G. Wagner of Heidelberg, Germany and Dr E. Hejl of Salzburg, Austria. The excursion will cover the Mesozoic and Cenozoic thermotectonic history of central Europe and starts Saturday August 14. During the excursion stops will be made in Germany and in the Austrian Alps. The participants of the Field Trip will arrive in time at Florence, Italy to participate the 32nd Internal Geological Congress (Florence, Italy August 20-28, 2004 (<http://www.32igc.org>)).

More details about the 10th International Conference on Fission Track Dating and Thermochronology and the Excursion will be given on the web-site.

Prof. Dr. Paul A.M. Andriessen
NEW e-mail: Paul.Andriessen@falw.vu.nl
homepage: (<http://www.geo.vu.nl/~isotopen/>)

TOPICAL SYMPOSIUM ON EXHUMATION OF OROGENIC BELTS, organized as part of the **32ND INTERNATIONAL GEOLOGICAL CONGRESS (IGC)**. The IGC will be held in Florence, August 20-28, 2004, at the Congress Center, Fortezza da Basso, Viale Strozzi 1 - Firenze. General information about the congress is available at <http://www.32igc.org>. The deadline for abstracts is January 10, 2004.

This symposium will have four sessions, focusing on different aspects of exhumation of orogenic belts, as described below. The organizers welcome submission of contributions, either as oral or poster presentations.

Below the description of this symposium, there is also a summary that highlights other activities at the IGC related to exhumation research.

IGC TOPICAL SYMPOSIUM T07: "EXHUMATION OF OROGENIC BELTS"

SESSION 1: "CLIMATE AND SURFACE PROCESS AS THEY RELATE TO EROSIONAL EXHUMATION": Sean Willett (U Washington) and Mark Brandon (Yale U). Email: Sean Willett <swillett@u.washington.edu>, Mark Brandon <mark.brandon@yale.edu>

Erosion is known to be an important exhumational process, capable of rates of more than 10 km/m.y. This session will focus on our current understanding of surface processes important in orogenic regions, such as fluvial incision, mass failure, and glacial erosion. Also of interest is changes in climate occurring at the global scale or induced by the growth of orogenic topography, influence erosional surface processes.

SESSION 2: "DETRITAL THERMOCHRONOLOGY: THE SEDIMENTARY RECORD OF OROGENESIS": John Garver (Union College) and Massimiliano Zattin (U Bologna). Email: John I Garver <garverj@idol.union.edu>, Massimiliano Zattin <zattin@geomin.unibo.it>

There has been increasing work on using detrital cooling ages from synorogenic sediments to study the long-term evolution of exhumational processes in convergent orogens. This session will focus on new developments in detrital thermochronology, including new analytical methods, interesting applications, and new approaches for analysis and interpretation of detrital grain-age distributions.

SESSION 3: "STRUCTURAL AND THERMOCHRONOLOGIC OBSERVATIONS FOR DEEP EXHUMATION": Uwe Ring (U Mainz) and John Wheeler (Liverpool University). Email: Uwe Ring <ring@mail.uni-mainz.de>, John Wheeler <johnwh@liv.ac.uk>

There have been a number of exciting field studies that have documented in detail specific normal faults where 10's of km of metamorphic section have been cut out. In some cases, these structures remain intact (e.g. South Tibetan detachment of the Himalaya), and others they appear to have been strongly modified by later deformation (e.g., Gressoney Shear Zone in the Western Alps). We encourage contributions that

help to detail such structures, and also provide information about their context relative to the whole orogen.

SESSION 4: "GEODYNAMIC MODELS FOR TECTONIC EXHUMATION": Russell Pysklywec (U Toronto) and Mark Brandon (Yale U). Email: Russ Pysklywec <russ@geology.utoronto.ca>, Mark Brandon <mark.brandon@yale.edu>

A challenging problem has been to come up with a geodynamic model capable of explaining the time-temperature history of deeply exhumed rocks including ultra-pressure crustal rocks and high-pressure garnet peridotites. This problem has become more acute as the geodynamic modeling begins to include a more complete representation of heat transport and thermally-activated rheologies. We encourage contributions that help illustrate this problem or make new contributions towards resolving this challenge.

IGC DEADLINES

JANUARY 10, 2004: Abstract submission deadline

FEBRUARY 20, 2004: Abstract acceptance

MARCH 31, 2004: Return of Congress registration form

EXHUMATION-RELATED ACTIVITIES AT IGC

IGC TOPICAL SYMPOSIUM T-36: ULTRA-HIGH PRESSURE METAMORPHISM (UHPM): FROM THE NANO SCALE TO THE PLATE TECTONICS SCALE (with 6 sessions).

IGC WORKSHOP DWO-17 (during congress): TERTIARY TECTONICS OF SE EUROPE: EXTENSIONAL COLLAPSE AND RIFTING OR DETACHMENT TECTONICS

Date: to be defined, 8 hours - Place: Florence
Convener: I. Zagorchev (Bulgary)

IGC WORKSHOP PWO-01 (before congress): LOW-ANGLE NORMAL FAULTING - TWENTY YEARS AFTER

Date: August 29 - September 3, 2004 - Place: Elba and Corsica islands and Perugia
Conveners: G. Lavecchia (Italy), G.S. Lister (Australia), L. Jolivet (France)

IGC FIELD TRIP B-21 (before congress): ULTRA-HIGH AND HIGH-PRESSURE ROCKS OF SAXONY (GERMANY)

Leader: H. J. Massonne (University of Stuttgart - Germany)

Associate Leader: H. J. Bartsch (Humboldt University, Berlin - Germany)

IGC FIELD TRIP B-32 (before congress): THE EXHUMATION OF HIGH-PRESSURE METAMORPHIC ROCKS WITHIN AN ACTIVE CONVERGENT MARGIN, CRETE, GREECE

Leader: J. Rahl (Yale University, USA)

Associate Leaders: C. Fassoulas (University of Crete), M. Brandon (Yale University, USA)

IGC FIELD TRIP P-01 (after congress): TECTONICS AND HIGH-PRESSURE METAMORPHISM IN NORTHWEST TURKEY

Leader: A. I. Okay (Istanbul Technical University - Turkey)

Associate Leader: B. Yikilmaz (Istanbul Technical University - Turkey)

IGC FIELD TRIP P-38 (after congress): GEOLOGY OF THE ALPI APUANE METAMORPHIC COMPLEX (NORTHERN APENNINES, CENTRAL ITALY)

Leader: L. Carmignani (Università di Siena)

Associate Leaders: P. Conti and M. Meccheri (Università di Siena)

IGC FIELD TRIP P-61 (after congress): MONTE ARGENTARIO AND ISOLA DEL GIGLIO (SOUTHERN TUSCANY, ITALY): A RECORD FROM CONTINENTAL BREAK-UP TO SUBDUCTION, NAPPE THRUSTING AND POST-OROGENIC EXTENSION

Leaders: J. Reinhardt (University of Natal - South Africa), C. Faccenna (Università di Roma Tre), F. Rossetti

(Università di Roma Tre), F. Storti (Università di Roma Tre), H. Stuenkel (University of Basel - Switzerland)

IGC FIELD TRIP P-65 (after congress): BASIN AND RANGE IN THE CENTRAL AND SOUTHERN APENNINES

Leaders: A.M. Blumetti (Servizio Sismico Nazionale, Roma)

Associate Leaders: A.M. Michetti (Università dell'Insubria, Como), F. Dramis (Università di Roma Tre, Roma),

L. Guerrieri (APAT, Roma), B. Gentili and E. Tondi (Università di Camerino)

APATITE FISSION-TRACK THERMOCHRONOLOGY OF THE ALTAI MOUNTAINS (SOUTH SIBERIA, RUSSIA) AND THE TIEN SHAN MOUNTAINS (KYRGYZSTAN): RELEVANCE TO MESOZOIC TECTONICS AND DENUDATION IN CENTRAL ASIA

JOHAN DE GRAVE

Geologisch Instituut, Universiteit Gent
Krijgslaan 281 (S8), B-9000 Gent, Belgium

The Central Asian mountain belt forms the world's largest intracontinental mountain chain, stretching over a distance of over 5000 km north of the Himalayan-Tibetan deformation zone. The entire area, known as the Central Asian Deformation Zone (CADZ), is subjected to widespread active deformation, resulting in processes of intracontinental mountain building and basin formation. This active deformation is a distant result of the ongoing convergence between the Indian and Eurasian plates. Both the Altai (South Siberia) and Kyrgyz Tien Shan mountains are situated within the CADZ. The main goal of our work was to constrain the thermotectonic evolution of both these areas using apatite fission-track (AFT) analysis. It was also the aim to investigate whether the AFT thermochronometer was able to constrain the onset of the recent tectonic reactivation of both regions.

The Altai mountains at the border zone between Russia, Kazakhstan, China and Mongolia occupy the NW sector of the CADZ. The Russian Altai mountains are composed of several tectonic units, all reflecting the Paleozoic evolution of the Paleo-Asian Ocean and Paleozoic accretion of the Siberian continent. As a result of Cenozoic reactivation, the Paleozoic basement rocks are locally overlain by Cenozoic (mainly Neogene and Pleistocene) sediments. A total of 50 bedrock apatite samples from 5 distinct zones in the Russian Altai Mountains (RAM) were analyzed. The majority (29) of the samples originate from the Lake Teletskoye basement. The lake is situated in a Quaternary graben in the NW part of the RAM. A second set of samples (9) comes from the Chulyshman Plateau, south of Lake Teletskoye, a third set (4) from the Dzhulukul Basin area near the Mongolian border to the east, while a fourth set (3) from the Chuya-Kurai Basin margins delineates the southernmost sample area. A fifth set (5) groups samples from various localities along a western transect through the RAM.

Generally, the AFT results from all RAM samples are very similar. Only minor differences between the various sample areas are noticeable. Apparent AFT ages are Cretaceous and all length distributions exhibit clear effects

of track shortening. Modeling of the data (AFTSolve) revealed a consistent three-stage cooling history throughout the RAM. A first stage is a Mesozoic cooling event that brought the rocks below the 120°C isotherm in Late Jurassic – Early Cretaceous times. The event halted in the Late Cretaceous, between ~80 and 90 Ma ago. This cooling is followed by a period of stability during which no or moderate cooling of the RAM rocks occurred. Finally, a rapid Late Neogene-Quaternary cooling event is observed for all samples. We attribute the Mesozoic cooling to an important phase of denudation of the Altai orogen. This denudation is thought to be a far-field effect of the Mongol-Okhotsk orogeny that affected Siberia, Mongolia and North China in the Jurassic and Early Cretaceous. West to east scissors-like closure of the Mongol-Okhotsk Ocean resulted in the collision of the North China craton with the amalgamized orogenic rim of Siberia and reflects further accretion of the Eurasian continent. The second stage of the reconstructed cooling history, the period of stability and slow cooling is interpreted to reflect peneplanation of the Mesozoic Altai in a regime of tectonic stability. Remnants of a widespread regional Late Cretaceous – Paleogene peneplanation surface are locally preserved throughout the region. Late Neogene – Quaternary cooling is linked to the recent reactivation and active tectonics associated with continuing convergence of the Indian and Eurasian plates, and is corroborated by various tectonic markers in the study area.

The Kyrgyz Tien Shan Mountains (KTSM) are situated to the N of the Pamir Mountains and the NW of the Tarim Basin. The ancestral KTSM were shaped in the Late Paleozoic between the rigid Tarim microplate and the stable Kazakhstan-Junggar platform. Currently the KTSM are also reactivated due to the India/Eurasia convergence and form one of the most active intracontinental mountain chains in the world. Their present morphology is dominated by E-W trending ranges and intermittent intramontane basins. A total of 22 apatite samples from granitoid intrusives from the area around the intramontane Issyk-Kul Basin (IKB) (northern KTSM) were analyzed. The main

sample localities are the Kungei Range, bordering the IKB to the north and the Terzkey Range in the south. Additional samples from the western part of the IKB basement were also collected. Similar AFT data for most KTSM samples were obtained. Compared to the RAM, apparent AFT ages were found to be older, with most samples yielding Late Jurassic – Early Cretaceous ages. Length data also show a distinct thermal influence. Modeling of the data reconstructs a uniform three- to four-stage thermal history for the KTSM. Although different in timing, the overall KTSM thermal history exhibits some similarities with the RAM history. The first stage is a Jurassic – Early Cretaceous cooling (older than for the RAM) lasting until ~115 Ma when a period of stability is initiated. This second phase persists until the Early Neogene, although locally, some samples exhibit a stage of reheating between ~40 – 20 Ma. This reheating event is only observed for samples from the W and NW parts of the IKB basement. From about 10 to 15 Ma onwards a

second, rapid cooling is seen for all KTSM samples. Analogous to the RAM, the Mesozoic cooling is attributed to denudation due to tectonic reactivation of the area in Jurassic times. Again, this reactivation might be a distant result, in this case of the Cimmerian orogeny that affected the S Eurasian margin when closure of the Tethyan Ocean culminated in the accretion of the Tibetan tectonic units to Eurasia. This again is followed by a stage of peneplanation, while the last rapid cooling can also be assigned to the onset of reactivation of the modern KTSM as the result of the propagation of deformation away from the India/Eurasia collision zone proper. The local Oligocene reheating event is only shown by samples taken in the direct vicinity of basaltic and diabasic rocks with $^{40}\text{Ar}/^{39}\text{Ar}$ ages of ~50 to 20 Ma. Therefore it is logical to interpret this stage of reheating in terms of a local increase in geothermal gradient accompanying the emplacement of these igneous rocks.

NEOGENE TO QUATERNARY THERMO-TECTONIC EVOLUTION OF NORTH-EASTERN CORSICA

MARIA GIUDITTA FELLIN

University of Bologna, Dipartimento di Scienze della Terra e Geologico - Ambientali
via Zamboni, 67, 40127 – Bologna, Italy

This work is focused on the brittle tectonics and the low thermal exhumation of north-eastern Corsica. The brittle tectonic evolution has been studied through field mapping of mesostructures and through paleostress calculations. Results indicate that north-eastern Corsica during Neogene to Quaternary was affected by a complex tectonic evolution characterized by an alternating sequence of extensional and compressional deformations. The first brittle deformations are related to a NE/E-trending extension and to the formation of the Early to Middle Miocene basins at the top of the Alpine metamorphic units. During the Tortonian, these basins were affected by an inversion tectonics involving also the Alpine units, and showing a NNE-trending compression. During the Messinian, extensional deformations reactivated again the brittle structures of north-eastern Corsica which deformed under low stress ratio conditions resulting in a multidirectional extension. During Quaternary, compressional deformations are recorded by the Pliocene and Pleistocene sediments of the eastern plains of Corsica and in the St. Florent basin, and are related to a NW-trending compression. The structural analysis is integrated and supported

with apatite and zircon fission-track data. The fission-track analysis on metamorphic units enables to quantify fault offsets through the identification of different exhumation times at the hanging wall and at the foot wall of the structures. The determination of the vertical throws is based on the assumptions of a geothermal gradient of 35°C/km. Results indicate that vertical throws along major faults range between 4 and 1 km and therefore brittle faults played a significant role in the exhumation process of Corsica.

The fission-track analysis on detrital apatites yield a high exhumation rate of ca. 1 km/my during Early to Middle Miocene. These results are concordant with thermal modeling data and with the exhumation rate established on the basis of zircon and apatite-fission track analysis performed on crystals from the same sample. The fission-track analysis allow to determine the thermal evolution of the metamorphic units beneath the Miocene basins of north-eastern Corsica given that, during the basin formation, these units are affected by a temperatures range overlapping the apatite Partial Annealing Zone (70-120°C). The thermal evolution is assessed on the basis of thermal modeling, and temperature

data are converted into depth assuming a geothermal gradient of 35°C/km. The basement of the Miocene basins, after being exhumed, was buried to a depth of more than 1 km and likely up to 2 km in the St. Florent basin, and of ca. 900 m in the Francardo basin. A post-exhumation thermal event affects also the western Balagne region where sedimentation could have occurred although at present there are no remnants of Miocene successions. Thus, apatite fission-track data indicate that the thickness and the extent of Miocene sediments in the study area might have been greater than predicted on the basis of stratigraphic data.

Provenance of siliciclastic sediments and river longitudinal profiles provide constraints on the uplift related to the exhumation of north-eastern Corsica. Provenance data indicate that the HP Alpine units exposed at present in Corsica were locally being eroded during Early Miocene, and the present relief of Alpine Corsica was uplifted above sea level during the Tortonian. The shape of river longitudinal profiles indicate that uplift likely continued from Neogene to present as suggested also by stratigraphic and leveling data.

THE LONG-TERM THERMAL EVOLUTION OF CENTRAL FENNOSCANDIA, REVEALED BY LOW-TEMPERATURE THERMOCHRONOMETRY

GLEN MURRELL

Vrije Universiteit Amsterdam
De Boelelaan 1085, 1081 HV Amsterdam, The Netherlands

While widely accepted, the nature and origin of craton stability remains unclear. Their physical stability is clearly evident, though low-temperature thermochronometry studies tend to show that the thermal state of cratonic crust can be, and often is, disturbed by the thermal processes associated with various tectonic episodes that they are subjected to during their post-formative evolution. Central Fennoscandia is an example of a craton that has exhibited long-term physical stability and, in contrast to other cratonic settings, extreme long-term, low-temperature, thermal stability also. Establishing whether the thermal history of central Fennoscandia has been disturbed by the various significant tectonic events that have occurred in the later post-formative evolution of the craton will elucidate the nature of its thermal stability. Apatite fission-track thermochronometry has been applied to determine the low-temperature thermal history of central Fennoscandia and the expected old ages necessitate that the analysis and interpretation be made with an unusual degree of care and detail.

Twenty-nine samples from Finland have been prepared for apatite fission-track thermochronometry with the established annealing model of Laslett, *et al.* (1987). Thermal histories are presented and the influence on the model of several assumptions is assessed. The presence of the sub-Cambrian peneplain plays a large role in the nature of the modeled thermal histories. In general the derived thermal models are consistent and produce several recurring phases of cooling and

re-heating. These include a phase of cooling in the Neoproterozoic and a re-heating phase in the Paleozoic. The processes responsible for each observed heating/cooling phase are examined.

Multi-kinetic apatite fission-track thermochronology, an advance in the technique, is introduced. The laboratory and analytical procedure at the Vrije Universiteit required modification and calibration and the details of this are stated. A multi-layered comparison between the established method and the new multi-kinetic approach has been made in order to fully understand the implications of applying one model over the other.

Refinement of the AFTT thermal history is made by the production of an independent AFTT data set produced with a new multi-kinetic annealing model. In this 22 surface samples, along with 9 core samples and Paleozoic intrusive samples have been analyzed. Multi-Kinetic Apatite Fission-track Thermochronology re-produces the thermal histories presented earlier but also provides additional information regarding the thermal evolution of the samples by incorporating a kinetic parameter in the analysis. The thermal models reproduce all the phases of heating and cooling discussed in chapter 4 though with subtly different thermal constraints.

The AFTT thermal histories have been validated and extended by the application of K-Fsp $^{40}\text{Ar}/^{39}\text{Ar}$ and (U-Th)/He thermochronometry. Step heating $^{40}\text{Ar}/^{39}\text{Ar}$ analysis of 10 samples scattered throughout Finland produce an age

signal corresponding in time with the emplacement of the anorogenic association of diabase dykes and Rapakivi granites and a younger signal corresponding with a period just preceding emplacement of Postjotnian diabbases. Multi-diffusion domain modeling of 4 samples, 2 from either side of Mesoproterozoic structure in the south of Finland and 2 from central Finland, produce the same signals. The data suggests that the thermal effect of the emplacement of the Rapakivi association and the Svecofennian domain was widespread. The (U-Th)/He method is introduced and the results of a 'reconnaissance' study are presented. While the results are promising and generally in support

of the AFTT derived thermal models, no robust conclusions are made.

The overall thermal history of the area (especially the Proterozoic domain) is characterized by a series of thermal pulses reflecting a particular characteristic of an alternative model for the development of the Svecofennian domain and implications arising from this observation for the thermal evolution of the craton are raised

The spatial distribution of fission-track ages is characterized by areas of 'young' and 'old' ages. The latter is interpreted to be due to the existence of a crustal 'cold spot' and implications arising from this for the physical and thermal evolution of the craton are raised.

LATE-STAGE TECTONIC PROCESSES IN OROGENS: CONSTRAINTS FROM AR-AR, FISSION TRACK DATING AND STRUCTURAL STUDIES

MARIA WIESINGER

Universität Salzburg, Institut für Geologie und Paläontologie
Hellbrunner Straße 34, A-5020 Salzburg

The Alpine-Balkan-Carpathian-Dinarides (ABCD) orogen is characterized over large sectors by the superposition of Tertiary collisional structures on Early to Late Cretaceous ones. The Cretaceous orogen formed during an independent orogenic cycle due to consumption of oceanic tracts and subsequent early Late Cretaceous collision of continental blocks. The assembled Cretaceous terrane collage was heavily modified by Tertiary collisional, extrusional and oroclinal processes during invasion of these units into the Carpathian arc and the indentation of the Moesian block as the present-day arcuate mountain belt formed. The Cretaceous orogenic belt displays significant variations along strike, namely strong subduction-collision metamorphism and missing Cretaceous magmatism in western sectors of the belt, and apparent weak metamorphism/deformation in southeastern sectors (Apuseni Mts. And Southern Carpathians). There, the belt is superposed by extensive Late Cretaceous plutonism/volcanism ("banatites") associated with widespread mineralizations. Magmatism is contemporaneous with the formation of collisional-type successor sedimentary basins.

The reconstruction of Cretaceous collisional structures, magmatic features, and mineralizations reveals significant variations along strike, which are not well understood at present and which are the focus of current

investigations as part of the GEODE ABCD project of the European Science Foundation. The proposed research (FWF) includes:

- (1) $^{40}\text{Ar}/^{39}\text{Ar}$ dating of minerals including biotite, amphibole and muscovite from magmatic rocks to reveal the timing and duration of magmatism, specifically of volcanism and plutonism, of ca. 5 - 6 selected sites distributed along the northern sectors (ca. 400 km) of the ca. 1,500 km long banatite belt.
- (2) $^{40}\text{Ar}/^{39}\text{Ar}$ dating of alteration minerals like adularia and sericite to reveal the timing of mineralization of these sites.
- (3) Fission track dating (zircon, apatite) of banatites to reveal the cooling and exhumation history.
- (4) Structural investigations on ore deposits to reveal kinematic and dynamic conditions of the emplacement of plutons and the mineralizations.

Together, the new data should allow to distinguish between different geodynamic models which were proposed for that region: post-collisional slab break-off vs. subduction related origin.

FISSION TRACK THERMOCHRONOLOGY OF THE CRETACEOUS SINDONG GROUP AND THE PALGONGSAN GRANITE, GYEONGSANG BASIN, KOREA

HYOUN SOO LIM

School of Earth & Environmental Sciences
Seoul National University, Seoul 151-747, Korea

Based on the apatite and zircon fission track analyses, thermal history of the Cretaceous Sindong Group and cooling history of the Palgongsan Granite were investigated. For the fission track analysis, the fission track age calibration constants were determined. Both apatite and zircon age standard samples were analyzed using an external detector method, and zeta -values are firstly calculated using the NAA-1 facility in HANARO reactor. The overall weighted mean zeta values ($\pm 2\sigma$) determined against a dosimeter glass NIST SRM612 are 337.6 ± 25.4 for apatite, and 344.5 ± 10.0 for zircon, showing no significant difference between the two minerals. The high Cd ratio of the NAA-1 facility in the HANARO reactor indicates that the facility tested in this study, NAA-1 is well-thermalized, and therefore suitable for fission track dating.

Sixteen sandstone samples from the Sindong Group were analyzed to reconstruct the thermal history using apatite and zircon fission track analyses. All apatite samples have consistent FT ages of ca. 60 Ma with unimodal and narrow age population, whereas the zircon FT ages show a wide range with various single-grain ages and the youngest peak ages are ca. 85 Ma. These results suggest that the Sindong Group was heated into the ZPAZ and cooled below the APAZ at ca. 60 Ma. Based on the zircon FT and previous VR data, the maximum paleotemperatures to which the Sindong Group has been subjected can be considered to be about 260°C. The time of maximum paleotemperature is thought to be around 80 Ma. To assess the thermal influence caused by the Upper Cretaceous intrusive rocks, eight zircon fission track ages were also obtained from the Palgongsan Granite and adjacent Jinju sandstone samples. Although the

paleogeothermal gradient of the Gyeongsang Basin might have been increased due to the emplacement of plutonic rocks, thermal alteration of the Sindong Group was mainly controlled by burial.

The cooling and uplift history of the Upper Cretaceous Palgongsan Granite within the Gyeongsang Basin has been derived from the apatite and zircon fission track data combined with other thermochronometric data. The Palgongsan Granite shows a simple concave cooling curve pattern, which suggests that it has not affected by any thermal event after emplacement. The Palgongsan Granite experienced rapid cooling (33.3 °C/Ma) from the moment of intrusion to ca. 72 Ma with a subsequent deceleration of the cooling rate. The rapid initial cooling rate during the Late Cretaceous has been caused by the large thermal contrast (~500-600°C) between the pluton and the country rocks. Direct conversion of the early rapid cooling rate into the uplift rate is not possible in the Palgongsan Granite because this is a high-level pluton emplaced at shallow depth less than ~3 km. The decelerated cooling rates of the late stages are, however, interpreted to have been controlled by uplift. Although restricted to low temperature range, the uplift rate of the Palgongsan Granite can be calculated from the corresponding cooling rates. The average uplift rate of the Palgongsan Granite is calculated to be ca. 0.043 mm/yr over the temperature range from 100°C to the surface temperature. The cooling history of the Palgongsan Granite is in good agreement with other Cretaceous Bulguksa granites distributed in the eastern and southern parts of the Gyeongsang Basin. No significant difference in cooling pattern exists between the Palgongsan Granite and other Bulguksa granites.

POST LATE PALEOZOIC TECTONOTHERMAL EVOLUTION OF THE NORTHEASTERN MARGIN OF IBERIA, ASSESSED BY FISSION-TRACK AND (U-TH)/HE ANALYSIS: A CASE HISTORY FROM THE CATALAN COASTAL RANGES

JOAQUIM JUEZ-LARRÉ

Vrije Universiteit Amsterdam
De Boelelaan 1085, 1081 HV Amsterdam, The Netherlands

The Catalan Coastal Ranges (CCR) belong to the northern sector of the margin that separates the extremely thinned continental crust of the Valencia Trough (~8km) from the thickened crust of the Iberian microplate (22-40 km). In this research the CCR have been chosen as a natural laboratory for the study of the tectonic and thermal evolution of this margin using thermochronological analysis. The structural and magmatic complexity of this area is the result of the relative movements that have been taking place between the African, Iberian and Eurasian plates since the Mesozoic. Hence, the region of the CCR have been submitted to various periods of extensional and shortening tectonics which reflect the different evolutionary phases of the Atlantic and western Mediterranean: **a)** a phase prior to the opening of the Atlantic, which includes the Hercynian Orogeny followed by a period of Late Hercynian magmatism and Permian erosion; **b)** a Mesozoic phase, in which the Central Atlantic opened originating several periods of intraplate extensional tectonics; **c)** a phase related to the opening of the North Atlantic and Bay of Biscay, which caused the anti-clockwise rotation of Iberia and its subsequent collision with Eurasia during the Late Cretaceous-Early Oligocene; **d)** finally, as a result of this collision, the build up of intraplate stresses in Iberia led to the shift of the zone of convergence from the Iberian-Eurasian plate boundary to the Iberian-African plate boundary. This marked the onset of the Betic Orogeny, during the Early-Middle Miocene, while a phase of continental rifting opened the Valencia Trough and the Liguro-Provençal Basin in western Mediterranean.

The aim of this study is to better understand the tectonic and surface processes that generate vertical movements of basement rocks in the CCR. Despite intensive geological research in recent decades the issue of the thermal history has hardly been addressed. Therefore, this study seeks to provide new insights into the mass and heat flux in the upper crust synchronous to each of the tectonic phases occurred. Zircons and apatites were extracted from Hercynian basement rocks and Triassic and Cenozoic sediments along the CCR, and dated using

fission-track analysis (ZFT and AFT, respectively), with apatite further dated using (U-Th)/He thermochronometry. Each of these thermochronometers has a characteristic temperature sensitivity of between 175-300°C, 60-110°C, and 40-85°C respectively. Changes in temperatures of rock masses in the upper crust are generally caused by the deposition or removal of excess material, driven by sedimentary, erosive and tectonic processes, but also by the intrusion of magma and groundwater flow. Hence, thermochronological data is crucial in order to measure the exhumation, erosion and uplift of rift margins and orogens, deposition and burial of sediments in peripheral basins, and also for studying the thermal state of the Earth's upper crust and the processes associated with the generation, transport and storage of heat within it. In this study the interpretation of the thermochronological data was based on the modeling of the thermal histories derived from AFT data, comparison of these results with the data extract from the ZFT and (U-Th)/He thermochronometers, geological data and numerical modeling of geodynamic processes at crustal scale.

ZFT and AFT analysis of the Hercynian basement yield ages between 250±40 Ma-104±16 Ma and 223±27 Ma-16±2 Ma respectively. (U-Th)/He ages range between 146±10 Ma and 3.0±0.2 Ma. These results allow the tectonothermal evolution of the CCR to be divided in different phases: **a)** a late Carboniferous-Permian phase in which the intrusion of the Late Hercynian magmatic plutons resulted in the total resetting of all FT thermochronometers of apatite and zircon in the basement, followed by a cooling and exhumation phase which brought these lithologies to the surface; **b)** a Mesozoic phase, where basement rocks experienced periods of increased in temperature between ~110°C and 175°C, mainly during the Triassic-Early Jurassic synrift stage, but also during the Late Jurassic-Early Cretaceous. Sedimentary burial under Triassic sequences, made up of siliciclastic and carbonates (600-800 meters in thickness) and evaporates (hundreds to thousands of meters (?) in thickness), and the fluctuation of the

geotherm, as a result of magmatic and hydrothermal activity are the most likely factors to explain the elevated temperatures detected; **c)** a Paleogene phase characterized by thermal quiescence. Paleogene build-up of intraplate compressional stresses induced the inversion and erosion of the Mesozoic basins, forming the Catalan Intraplate Chain (CIC) during the Alpine Orogeny. The insignificant changes of temperature detected in the basement relate to minor exhumation due to the accommodation of 8 km of lateral shortening at the front section of the CIC only. This resulted in the passive uplifting of various tectonic blocks, minor deformation and erosion which dismantled part of the Mesozoic sequences of up to 800 meters in thickness; **d)** finally, a late Oligocene-Neogene phase where periods of moderate and substantial cooling are detected for basement samples within short lateral distances of a few kilometers. During this phase, the CIC was dissected into several horsts and grabens by the tectonic inversion of older Paleogene basements thrusts, forming the Catalan Coastal Ranges (CCR) as they are today. At that time the Valencia Trough also opened to the SE. Based

on fission-track and (U-Th)/He analysis, erosion along the horst areas (Litoral and Prelitoral Ranges) is estimated to be less than ~2km from the Late Oligocene to present. The presence of synchronous hydrothermal activity has caused some AFT to be totally reset, which indicate elevated temperatures ~110°C at shallow depth <2 km. These results point out the significant influence that groundwater flow might have on the geotherm in the upper crust. In the CCR, hydrothermal activity is interpreted as the result of topographical driven flow originating during the late Oligocene-Miocene extensional phase.

The results of this research contribute to the continued development of FT and (U-Th)/He thermochronology, especially with regard to their interpretation and applicability in areas with complex tectonic histories. Moreover, the combination of the different thermochronometers, geological data and numerical modeling has proved to be useful in this study to better estimate the range of temperatures of rocks in the upper crust, and to better interpret and quantify the factors which influence their thermal history.

EDM FOR GLASSES?

GIULIO BIGAZZI

Institute of Geosciences and Earth Resources
C.N.R., Via G. Moruzzi 1, 56124 Pisa, Italy

Most colleagues dealing with fission-track (FT) method apply this technique to crystal phases such as apatite, zircon and sphene. EDM is the dating method commonly used for these minerals, because it offers some advantages in comparison with the traditional population method (Gleadow, 1981). Only in a restricted number of FT groups natural glasses are also studied. Probably for this reason peculiar characteristics of glasses with respect to FT dating are less known also inside the FT community. This does not imply disappointing consequences, provided that one has the opportunity to reply to extravagant questions, comments or criticisms he may receive.

Recently I and a colleague had submitted to an international journal a manuscript where also a FT age determined on a sample of glass shards had been reported. One of the criticisms made by one referee that contributed to lead the editor to decide rejection was that we had used the population method, instead of EDM. As the manuscript was rejected, we had no opportunity of explaining why commonly the population method is used for glasses. Moreover, this referee

did not quote any article where application of EDM to glasses had been discussed. Considering that I do not know such an article, I do not know how I could use this method for glasses.

The most important points that convinced me to persist in using the population method for these materials are essentially two: (1) peculiar characteristics of track etching in glasses and (2) presence of partial annealing of spontaneous tracks in most glasses.

With respect to track etching, glasses behave very differently from crystals (see Wagner and Van den haute, 1992, and references therein). Whereas in crystals the track etching rate (V_t) is much higher than the bulk etching rate (V_g), in natural glasses V_t/V_g is typically between 1.5 and 3. Consequently, during etching a layer of not negligible thickness will be removed from the glass. Fleischer and Price (1964) showed that only a part of the latent tracks that crossed the glass surface – those which have an incidence angle $\theta >$ a critical angle $\theta_c = \arcsin V_g/V_t$ – are developed by etching. At the same time, internal tracks which reached prior etching this layer can be etched, provided that their incidence angle

θ is $> \theta_c$. The track density one can determine under a microscope after an etching time t is a complex function of V_g , t and V_t . The relationship track density – etching time does not attain a plateau, and its trend is characteristic of each glass, due to its peculiar V_g and V_t . For these reasons it appears somewhat difficult to know the value of the geometric factor G to be used if the induced tracks are counted in an external detector, because G depends on the sample and on the etching time.

In minerals the problem of the value of G is overcome by the use of the ζ calibration. For glasses the use of the ζ calibration is not obvious: it may work well only when the standard for the determination of the ζ factor has the same characteristics of the glass to be dated in relationship to track revelation. In addition, spontaneous tracks have to be etched in the same way in both glasses. Actually, sensitivity to etching is variable also for glasses of the same type, such as obsidians. Therefore, it is not very easy to attain an identical level of spontaneous track development on glasses used for ζ factor determinations and on glasses to be dated. Moreover, only one glass was included in the list of the age standard for FT dating by the Subcommission on Geochronology of I.U.G.S., that is Moldavite, the central European tektite (Hurford, 1990). If EDM is used, Moldavite can not be considered a reliable standard for the determination of the ζ factor for other types of glass, such as, for example, obsidians or basaltic glasses.

The second point mentioned above – partial annealing of spontaneous tracks – is also an obstacle which prevents the application of EDM. Stability over geological times of fission tracks in natural glasses is rather poor. Most glasses show a certain amount of track annealing. Partially annealed spontaneous tracks are etched with reduced efficiency compared to the 'fresh' induced tracks, assumed as reference undisturbed tracks. Therefore, a FT age in glass is a rejuvenated age, referred to as 'apparent' age. Two correction techniques of thermally lowered FT ages can be applied, the size-correction method (Storzer and Wagner, 1969) and the plateau method (Storzer and Poupeau, 1973). In the first technique the apparent age is corrected through an experimental curve which relates reduction of track density with track-size decreasing. In the plateau method an identical etching efficiency of spontaneous and induced tracks is re-established through thermal


treatments imposed to spontaneous and induced tracks. The plateau condition is attained when the spontaneous to induced track-size ratio is = 1. Both these techniques require that spontaneous and induced track densities and track sizes are determined in two fraction of the glass itself, etched in the same conditions. In other words, the population method has to be applied.

In principle, both the absolute approach as well as the ζ calibration could be used for the population method. As the ζ factor is determined through a ratio of two track densities measured in the glass itself, track density ratios corresponding to the plateau condition or corrected with the size-correction method could be used. On the contrary, the application of EDM - ζ calibration would require a further requisite, that the age standards to be used for determination of ζ should be unaffected by track annealing. Note that identification of a set of glass age standards of various types unaffected by track annealing is an arduous task, if not impossible.

It has to be pointed out that one of the reasons for which EDM was preferred for crystals is its performance also in case of large inter-grains U-fluctuations. Commonly track counts of glasses follow Poisson distributions. Only in few cases the U-content shows some minor inhomogeneities.

References

- Fleischer R.L. and Price P.B., 1964. Glass dating by fission fragments tracks. *J. Geophys. Res.*, 69, 331-339.
- Gleadow A.J.W., 1981. Fission track dating methods: What are the real alternatives? *Nucl. Tracks*, 5, 3-14.
- Hurford A.J., 1990. Standardization of fission track dating calibration: recommendation by the Fission Track Working Group of the I.U.G.S. Subcommission on Geochronology. *Chem. Geology (Isot. Geosci. Section)*, 80, 171-178.
- Storzer D. and Wagner G.A., 1969. Correction of thermally lowered fission track ages of tektites. *Earth Planet. Sci. Lett.*, 5, 463-468.
- Storzer D. and Poupeau G., 1973. Ages-plateau de minéraux et verres par la méthode des traces de fission. *C. R. Acad. Sci. Paris*, 276 série D, 317-319.
- Wagner G.A. and Van den haute P., 1992. Fission-track dating. Kluwer Academic Publishers, The Netherlands.



Automated microscope stage systems greatly increase operator productivity by automating tedious aspects of microscope work. Since their introduction, our systems have been adopted by far more fission track laboratories than any other system.

Outstanding Hardware:

Our stage systems are based on a highly-reliable, high-precision Kinetek™ computer-automated microscope scanning stage. Several hundred Kinetek stages are currently in operation, mainly in the demanding microelectronics and biotechnology industries. Compatible with almost any brand of microscope. Use of this popular, general purpose stage significantly reduces the system cost. System also includes a high-quality Calcomp™ 12x12" digitizing tablet. Assembly to full operational status generally requires only a few days.

Outstanding Software:

Software is a complete, highly sophisticated Apple Macintosh program developed with careful attention to all aspects of microscope work. Fully integrates track counting, track length measurement, slide scanning, and file management functions. Moves precisely from grain to mica print in 3 seconds. Very user friendly.

Innovative, Highly-Intuitive Stage Control System:

Stage is driven primarily with the digitizing tablet cursor rather than a joystick. For example, to center a grain or track, just superimpose the cursor on it, push a button, and the stage automatically centers it. This avoids tedious manual centering via the joystick. Most software commands are driven from the cursor buttons, which are easily distinguished by feel, so there is no need to look away from the eyepieces to the computer screen or keyboard.

Fission Track Laboratories Using the System (year installed; *adapted to a non-Kinetek stage)

- Stanford University, Stanford, California (1991)
- University of California, Santa Barbara, California (1992)
- ARCO Inc., Plano, Texas (1992). Moved to University of Minnesota, Minneapolis, Minnesota, in 1999.
- Universität Bremen, Bremen, Germany (1993)
- E.T.H., Zürich, Switzerland (1993*)
- Kent State University, Kent, Ohio (1993)
- University of Wyoming, Laramie, Wyoming (1993)
- University of Arizona, Tucson, Arizona (1993). Moved to Syracuse University, Syracuse, New York, in 2000.
- Max-Planck-Institut, Heidelberg, Germany (1993*)
- Union College, Schenectady, New York (1994)
- Monash University, Melbourne, Australia (1994*). Moved to University of Melbourne in 1999.
- La Trobe University, Melbourne, Australia (two systems, 1994*). Moved to University of Melbourne in 1999.
- University of Pennsylvania, Philadelphia, Pennsylvania (1995)
- Universität Tübingen, Tübingen, Germany (1995)
- Universidad Central de Venezuela, Caracas, Venezuela (1995)
- Brigham Young University, Provo, Utah (1995)
- Central Research Institute of the Electric Power Industry, Chiba, Japan (1995)
- Universität Salzburg, Salzburg, Austria (1996)
- University of Southern California, Los Angeles, California (1996)
- E.T.H., Zürich, Switzerland (second system, 1996*)
- Geologisk Centralinstitut, Copenhagen, Denmark (1996*)
- University of Waikato, Hamilton, New Zealand (1996*)
- Università di Bologna, Bologna, Italy (1997)
- Centro di Studio di Geologia dell'Appennino e delle Catene Perimediteranee, Florence, Italy (1997)
- University of Wyoming, Laramie, Wyoming (second system, 1997)
- Universität Potsdam, Potsdam, Germany (1997)
- Seoul National University, Seoul, Korea (1998)
- E.T.H., Zürich, Switzerland (third system, 1998)
- Universität Basel, Basel, Switzerland (1998)
- University of Florida, Gainesville, Florida (1998)
- Universite Paris-XI, Paris, France (1998)
- Universität Graz, Graz, Austria (1998)
- Göteborgs Universitet, Göteborg, Sweden (1999)
- Universidad de Cádiz, Cádiz, Spain (1999)
- Universite Montpellier II, Montpellier, France (1999)
- Kurukshetra University, Kurukshetra, India (1999)
- Universität Tübingen, Tübingen, Germany, (second system, 1999)
- California State University, Fullerton, California (2000)
- Geoforschungszentrum, Potsdam, Germany (2000)
- Polish Academy of Sciences, Krakow, Poland (2000)
- University of Glasgow, Glasgow, Scotland (two systems, 2001)
- Yale University, New Haven, Connecticut (2001)
- Université Joseph Fourier, Grenoble, France (2001)
- Universität Bremen, Bremen, Germany (second system, 2002)
- Université des Sciences et Technologies de Lille, Villeneuve d'Ascq, France (2002)
- University of Kansas, Lawrence, Kansas (2003)

Further Information:

An early version of the system is described in a paper in Nuclear Tracks and Radiation Measurements, vol. 21, p. 575-580, Oct. 1993 (1992 Philadelphia Fission Track Workshop volume). For detailed information please contact: Dr. Trevor Dumitru, 4100 Campana Drive, Palo Alto, California 94306, U.S.A., telephone (auto-switching voice and fax line): 1-650-725-6155



**THE ORIGINAL AND THE BEST SOLUTION FOR FISSION TRACK DATING
19 YEARS - 20 COUNTRIES
TRAKSCANTM - NOW IN VERSION 3.3
WATCH FOR VERSION 4 AT THE AMSTERDAM FTD MEETING**

Our latest news (please contact us for details) :

q New hardware compatibilities :

- q SONY BL55TM external linear sensors – repeatably position to 50 nanometres !
- q True digital cameras from Soft Imaging System / Roper Scientific / Basler / Sony
- q Multiple slide loaders : Vision Biosystems SL50TM automated slide loader
- q Virtual microscope : latia QPmTM Virtual microscope

q New software compatibilities :

- q AnalySisTM image processing software from Soft Imaging System
- q CastgridTM Stereology software from Olympus Denmark
- q Image-Pro PlusTM Scientific Software from Media Cybernetics
- q Lasersharp 2000TM confocal microscopy software from Bio-Rad
- q Any program which uses VBScriptTM as its macro language, such as MSWordTM, MS ExcelTM

q New software compatibilities in progress :

- q EllipseTM stereology software
- q LabviewTM image analysis software from National Instruments
- q Zeiss microscope control software integrated into our Trakscan package

q Existing features of Trakscan 3.3 / impending features of V 4.0 :

- q Give your brain a rest : TrakscanTM V3.3 automatically inverts and rotates mica images
- q User can mark area for counting on grain, automatically shown on mica (and vice versa)
- q Automatic track density calculation on marked grain and mica areas
- q Measurement of track lengths, including inclined tracks
- q Age calculations now included in basic module
- q Standard glass module forms part of program
- q Ability to export data for direct use in TrackkeyTM and PopshareTM
- q NEW : EasyCount and EasyMeasure (with graphs) for faster processing
- q NEW : MultiExport, for transforming data for direct use with other presentation software
- q Watch for Version 4 at the FTD meet in Amsterdam, 2004 ! (Free upgrade to V 3.3 for existing WinTrak users)

Contact us now for your free demo CD with step-by-step TrakscanTM walk-through/tutorial

Ask us now about AutoScopeTM for automated counting of fission tracks in glass

ASDK now available free: incorporate Autoscan stage commands into your own software

Note : The product names accompanied above by the TM mark are trade names of their respective owners.

AUTOSCAN SYSTEMS PTY. LTD.

ABN 73 006 275 136

P.O. Box 112, Ormond, Victoria, Australia, 3204 * Suite 4, 293 Bay Street, Brighton 3186 Australia

Telephone: + 61 3 9596 8065 Facsimile: + 61 3 9596 8369 * Home Page: www.autoscan.com.au Email: autoscan@autoscan.com.au

AUTOMATED FISSION TRACK DATING SYSTEMS – THE NEXT GENERATION

MICHAEL KROCHMAL

Managing Director, Autoscan Systems Pty. Ltd.

History

The process of carrying out the External Detector Method of Fission Track Dating has always been an extremely onerous technique, requiring eagle eyes with nanometer spatial resolution, a good memory for what has been counted and what has not, buckets of patience and hours of concentration.

In 1979, Prof. A.J.W. Gleadow of the University of Melbourne conceived an idea for automating this process and taking the tedium out of the technique. This simplification was intended to avoid the fatigue which might compromise the operator's important decision-making processes. Autoscan Systems Pty. Ltd. built the first prototype in that year, and has been providing automated stage systems to the FTD community ever since.

Technology

The first system operated with the aid of an 8-bit North StarTM Horizon computer, and made use of a modified ZeissTM microscope stage. Later systems used custom-built stages. These systems were subject to all the usual inaccuracies inherent in mechanical assemblies: backlash, dead-band, etc. More importantly, the stepper motors used in the focus mechanism of the early stages limited the utility of these units because of inherent noise, speed limitations, and other disadvantages. (For a more detailed discussion of these issues, please refer to the Autoscan website: <http://www.autoscan.com.au/onestep.html>).

The later Autoscan stage systems made use of dc motors with shaft encoders. These motors are operated as servo motors in a closed-loop configuration with PID control. In plain English, this means that our electronic controllers know at all times exactly where the motors are, even when the operator "twiddles" the mechanical stage movement knobs. Further, the movement of the stage motors is optimized through the PID control loop, so that the motor always chooses the most direct and fastest path between any two points. This configuration enabled us to achieve a repositioning accuracy of +/- 2 microns in the X and Y (horizontal) axes, and +/- 0.2 microns in the Z axis (focus). In contrast, the stepper motor stages available on the market do not contain motor positioning encoders. What this means, in brief, is that if the electronic controller issues a

movement command, it must assume that the motor has moved to the intended target position. If the motor does NOT move to this target position for any reason (e.g. motor stall or slip), the controller will never know about this, and the stage will be "lost in space" forever, until the system is re-zeroed in some fashion.

One fundamental problem, even with the Autoscan stages which have been representing state-of-the-art in FTD for the last twenty years or so, is that the movement measured is that of the driving motor, not the actual stage plates. The specimen being examined is, for all intents and purposes, fixed to the top plate of the Autoscan stage. If there is any difference in position between the motor and this top plate, this will directly translate into a positioning error for the specimen. In reality, there are several such errors which affect positioning accuracy: backlash in the mechanism which connects the motor to the plates and minute inaccuracies in the manufacture of the leadscrew are just two of these. For this reason, the recent availability of extremely accurate "external sensors" has allowed an entire new generation of stages to be created. Generally, these external sensors are strips of magnetic or optical material which can be directly attached to the moving plates and which can sense the actual movement of the plate, rather than the movement of the motor. This translates into vastly increased positioning accuracies for the stages.

Advances

i) Microscope stage system hardware

Autoscan Systems is proud to announce a world first: in August 2003, we installed the first-ever SonyTM holographic linear external positioning sensors on two stages at the Max Planck Institute in Heidelberg, Germany. One of these stages will be used in advanced FTD research. These sensors were the very first to roll off the Sony assembly line in Japan, and are capable of reproducibly achieving an incredible positioning accuracy of 50 nanometers! This dimension, for the non-physicists among you, is much less than the wavelength of visible light. The mid-spectrum wavelength of visible light is of the order of 650 nanometers. Because of a fundamental physical limitation called the Raleigh limit, this means that the smallest

consistently resolvable object in such light would be of the order of half of this value, or about 300 manometers.

ii) Sample processing software

As regards Software, the FTD community is well known for contributing to our software development. For example, during the next few months we will be releasing three new Trakscan software modules which are based largely on the contributions of the Heidelberg and Freiberg FTD groups in Germany. We are very grateful for these contributions, and I am sure that such activities will continue to arise from the FTD community.

iii) Data presentation software

A number of geologists have contributed significantly to the quality and volume of data presentation software available. For fear of leaving someone out and thus mortally offending them, I will not list them here, but I believe that the FTD community is well aware of their existence. The fact that most of this software is available to geological laboratories free of charge is a very big bonus.

iv) Cameras

There have been some very exciting developments in CCD cameras. Some of these developments have been apparent in the availability of digital cameras on the consumer products market. The original cameras used in conjunction with the Autoscan software were CCD cameras with analog output. In order to convert the camera output into the digital form required by the computer to process and display images, a frame grabber card was required to be installed in the computer. Nowadays, much better cameras are available at an ever-decreasing price. These cameras directly output a digital signal at incredibly high resolution, and operate via a Firewire™ interface. The installation of such devices is much simpler and less frequently fraught with incompatibilities than the frame grabber/analog camera combination. Image resolutions of 1.5 Megapixel are typical, and resolutions of 5 Megapixel and more are easily achievable.

v) Microscopes

The new generation of microscopes is featuring ever more automated and motorized features. These include motorized turret rotation (objective selection), motorized focus, motorized filter selection, and electronic control of light levels. Current negotiations between Autoscan and a major microscope company will result in the incorporation of microscope control in our future software. Thus the operator will be able to

select the objective to be used, and the relevant objective calibration parameters will be changed automatically.

vi) Sample processing hardware

Much of the equipment used in the sample processing laboratory has been around since "The Times of Noah's Ark": the Frantz magnetic separator, for instance, is a piece of machinery which time seems to have left behind. Many of the more poisonous/carcinogenic heavy liquids are, thankfully, a thing of the past, but much of the rock crushing equipment is still comparatively crude by the standards of current technology. Having said that, of course, I should be quick to add that "if it works, why not?". But I believe that there is a lot of scope for improved efficiency and effectiveness in this area.

vii) The science of FTD

In tandem with the ongoing march of technology, rapid developments are taking place in many countries around the world. For instance, FTD is a burgeoning technique in countries such as China and Brazil, where many new laboratories have been set up in the last couple of years. The training of FTD personnel is proceeding apace. Through the confirmation of the accuracy of FTD dating (based on comparative confirmation with other dating techniques), the assumptions underlying FTD have been largely confirmed, and the technique has become an established and accepted method of dating materials in the range of 500,000 to 1 billion years. It is to be expected that the wider acceptance of this technique will provide a wider base of laboratories which can carry out such work, and free up the more advanced groups to contribute to the cutting edge of the technique.

viii) New techniques in FTD

In recent times, a number of divergent techniques have emerged. It would not be constructive for me to be drawn here into the old discussion of the relative merits of the population method versus the external detector method. However, there are new and different techniques for mounting the samples and for (hopefully) avoiding the use of expensive ion probes, which are currently being developed by various groups around the world.

ix) Irradiation

One of the issues which is of great concern to FTDers is the shrinking availability of suitable atomic reactors which can carry out the irradiation of samples for the external detector method. Whilst the trend for closing down reactors may continue, it is not inconceivable

that other techniques will emerge which may bypass the need for such irradiation. Two side benefits of such a development would be the avoidance of a need for FTD laboratories to handle radioactive materials (with all the attendant safety and certification concerns), and a vast increase in the speed of obtaining results.

Conclusion

Some of you may remember that in the past, there were numerous attempts to fully automate the process of track characterization and counting. I have no doubt that this endeavor will resurface, stimulated by the advances in technology and techniques briefly addressed above. In particular, this task will be made easier by the use of linear sensors (as in the new Autoscan stages), increased camera resolution, continually improving computing capability, and advances in microscopy. In addition, new approaches will result from advances in the

geological techniques and the ever more frequent and unique contributions from the physicists, who are now becoming an influential factor in the development of FTD.

My guess is that the most significant contribution to FTD in the next 10 years will come from cross-disciplinary contributions, whether these be physicists, chemists, electron microscopists or workers in other, yet to be identified, disciplines.

This article has been written, to a certain extent, from the point of view of an "outsider": my discipline is biomedical engineering, and the very poor and rudimentary insights I have into geology are the result of many years of mixing with friendly FTDers (Geology was never my strong suit at school!). Despite this, I hope that this article will be of interest to OnTrack readers – any factual errors are all mine. We look forward to meeting you at the next FTD conference in Amsterdam in August 2004.

EXPERIMENTAL EVIDENCE CONCERNING THE PRESSURE DEPENDENCE OF HE DIFFUSION AND FISSION-TRACK ANNEALING KINETICS IN APATITE

DONELICK, R.¹, FARLEY, K.², O'SULLIVAN, P.¹, AND ASIMOW, P.²

¹Apatite to Zircon, Inc., 1075 Matson Road, Viola, ID 83872 USA
(donelick@apatite.com and osullivan@apatite.com)

²Division of Geological and Planetary Sciences, California Institute of Technology, Pasadena, CA 91125 USA
(farley@gps.caltech.edu and asimow@gps.caltech.edu)

General

We offer this short note to document data we have collected regarding the pressure dependence of He diffusion and fission-track annealing kinetics in apatite. This work is a direct result of the provocative EPSL paper by Wendt et al. (2002). Should their data stand, so should many of their conclusions. For the record, we have communicated constructively with Anke Wendt and through her, her co-authors, and we have the singular goal of better understanding their data and the issues raised in their paper.

Methods

A description of our experiments follows. Shards of Durango apatite (160-180 μm ; powder) containing natural He and natural fission tracks were wrapped in copper foil and then attached to a thermocouple using a layer of aluminum foil and platinum wire. The copper pouch is ~15 mm long and the thermocouple tip is centered along its length; the along-axis temperature gradient over this distance is less than 2°C in the cold-seal pressure vessel we used. The thermocouple/sample assembly was inserted into a pressure vessel that was already stabilized at the run temperature to avoid heating transients

and then pressurized using Ar gas as a pressure medium. The Ar gas permeated the copper foil resulting in hydrostatic pressure conditions around the apatite shards. Within 15 minutes, the P-T conditions had stabilized to within 2°C and a few bars of the ultimate run conditions. After the duration of each run, each charge was quenched by releasing the pressure and removing the device from the furnace. The apatite was removed from the foil and divided into fractions for He and fission-track analysis. All experiments were done in the same apparatus using the same thermocouple and same pressure medium (Ar gas); the thermocouple was calibrated against the freezing and boiling points of distilled H₂O.

He concentrations were determined on the treated aliquots as well as an untreated reference aliquot of Durango apatite. Diffusion coefficients were computed from the amount of He lost during P-T treatment using standard calculation procedures.

Relative degrees of fission-track annealing for the treated aliquots and several reference aliquots of Durango apatite (natural and unannealed induced tracks) were determined from the mean lengths of horizontal, confined

fission tracks. Fission tracks were revealed for measurement by chemical etching in 5.5M HNO₃ at 21°C for 20 seconds. Prior to etching, all polished apatite grain surfaces were irradiated with ²⁵²Cf-derived fission fragments in a nominal vacuum. All length measurements were performed blindly by two analysts (Donelick, RAD, and O'Sullivan, POS) without prior knowledge of the P-T run conditions or the results of the other worker.

He diffusion results

We observed no pressure dependency of He diffusion coefficient outside of analytical error at the two temperatures studied (Table 1). For example, at 302°C we obtained $\ln(D/a^2)$ values of -16.24, -16.05, and -16.27 (0.25) at 1000, 500, and 20 bars, respectively. From these data, we conclude that He diffusion in Durango apatite is not pressure sensitive over the pressure range relevant for thermochronometry. By extension, it seems likely that the apatite (U-Th)/He closure temperature determined from vacuum diffusion measurements can be applied to the natural setting.

Fission-track annealing results

In comparison to the experiments of Wendt et al. (2002), our P-T conditions are rather limited (Table 1). However, we observed no significant pressure effect at the three temperature-time conditions studied. For example, at 302°C we obtained mean track length values of 9.94 ± 0.12 μm , 10.20 ± 0.10 μm , and 9.79 ± 0.12 μm (1 σ) at 1000, 500, and 20 bars, respectively (Donelick data; O'Sullivan data very similar). Most

importantly, we were unable to reproduce the Durango data of Wendt et al. (2002) for 168 hours at 250°C between 1 bar and 1 kbar. We attempted to seek variation in the fission track results (again, blindly) by studying powdered grains versus single slabs of a larger crystal, induced tracks, tracks that were etched under very different conditions, and tracks that were effectively randomly oriented. Additionally, unpublished experimental data of Naeser and Hawkins concerning the pressure dependence of fission-track annealing in apatite, conducted using either water or air as the pressure medium, indicate that the pressure medium has little effect on fission-track annealing kinetics. We found absolutely no basis to call upon these variables as an explanation for the data presented by Wendt et al. (2002).

Conclusions

Our experiments differed from those of Wendt et al. (2002) in the pressure range of 1 bar to 1 kbar. Unlike Wendt et al. (2002), we used the same apparatus with the same thermocouple and pressure medium. We conclude, therefore, that the significant pressure dependence of fission-track annealing observed by Wendt et al. between 1 bar and 1 kbar is likely due to incompatible calibrations between thermocouples used in the different apparatus.

References

Wendt, A.S., Vidal, O. and Chadderton, L.T. (2002), Earth and Planetary Science Letters, 201, 593-607.

Table 1. Summary of the Durango apatite fission track length data in this study.

Sample Name	Time (h)	Temp. (°C)	Pressure (bar)	He Diffusion $\ln(D/a^2)$	Track Type	Track Lengths (tracks)	Mean \pm Standard Error (μm)	Standard Deviation (μm)
RAD Measurements								
DR1A slab (A2Z control aliquot)	>10 years	room	1		unannealed induced	153	16.46 ± 0.07	0.86
DR-D (A2Z control aliquot)	natural	natural	natural		unannealed natural	100	14.56 ± 0.09	0.92
DURP1E (Caltech control aliquot)	natural	natural	natural		unannealed natural	129	14.41 ± 0.09	1.02
P powder split 1 (Caltech control aliquot)	natural	natural	natural		unannealed natural	147	14.49 ± 0.09	1.04
P powder split 2 (Caltech control aliquot)	natural	natural	natural		unannealed natural	142	14.38 ± 0.08	0.99
DURP1B	24	250 \pm 3	1	18.8 \pm 0.7 18.9 \pm 0.7	natural	144	12.98 ± 0.09	1.06
DURP1C	24	250 \pm 3	500	19.3 \pm 0.7 18.9 \pm 0.7	natural	140	13.26 ± 0.09	1.08
DURP1D	24	250 \pm 3	500	18.5 \pm 0.7 18.2 \pm 0.7	natural	143	13.38 ± 0.08	0.98
DURP1A	24	250 \pm 3	985	18.8 \pm 0.7 18.4 \pm 0.7	natural	141	13.06 ± 0.09	1.03

DURP1G	24	302±3	20	16.3±0.7	natural	140	9.79±0.12	1.41
DURP1F	24	302±3	500	16.0±0.7	natural	141	10.20±0.10	1.21
DURP1H	24	302±3	1000	16.2±0.7	natural	140	9.94±0.12	1.42
Q slab (20 second etch)	168	250±3	1	19.3±0.7	induced	157	12.94±0.07	0.81
Q slab (40 second etch)	168	250±3	1	19.3±0.7	induced	156	13.17±0.09	1.16
R slab (20 second etch)	168	250±3	1000	18.8±0.7	induced	153	12.73±0.07	0.81
R slab (60 second etch)	168	250±3	1000	18.8±0.7	induced	159	13.05±0.08	1.06
Q powder (prismatic sections)	168	250±3	1	19.3±0.7	natural	142	12.32±0.09	1.04
Q powder (random orientations)	168	250±3	1	19.3±0.7	natural	144	12.11±0.08	1.01
R powder (prismatic sections)	168	250±3	1000	18.8±0.7	natural	143	12.26±0.08	1.00
R powder (random orientations)	168	250±3	1000	18.8±0.7	natural	143	12.13±0.08	0.93
POS Measurements								
DR1A slab (A2Z control aliquot)	>10 years	room	1		unannealed induced	170	16.14±0.06	0.78
DR-D (A2Z control aliquot)	natural	natural	natural		unannealed natural	138	14.59±0.08	0.98
DURP1E (Caltech control aliquot)	natural	natural	natural		unannealed natural	128	14.46±0.08	0.96
P powder split 1 (Caltech control aliquot)	natural	natural	natural		unannealed natural	150	14.37±0.09	1.11
P powder split 2 (Caltech control aliquot)	natural	natural	natural		unannealed natural	126	14.13±0.09	0.98
DURP1B	24	250±3	1	18.8±0.7 18.9±0.7	natural	104	13.33±0.10	0.97
DURP1C	24	250±3	500	19.3±0.7 18.9±0.7	natural	71	13.97±0.12	0.98
DURP1D	24	250±3	500	18.5±0.7 18.2±0.7	natural	126	13.92±0.09	0.96
DURP1A	24	250±3	985	18.8±0.7 18.4±0.7	natural	101	13.74±0.09	0.92
DURP1G	24	302±3	20	16.3±0.7	natural	115	10.13±0.12	1.30
DURP1F	24	302±3	500	16.0±0.7	natural	125	10.40±0.11	1.22
DURP1H	24	302±3	1000	16.2±0.7	natural	110	10.03±0.13	1.34
Q slab (20 second etch)	168	250±3	1	19.3±0.7	induced	214	12.64±0.06	0.91
Q slab (40 second etch)	168	250±3	1	19.3±0.7	induced	200	12.83±0.06	0.87
R slab (20 second etch)	168	250±3	1000	18.8±0.7	induced	150	12.60±0.07	0.89
R slab (60 second etch)	168	250±3	1000	18.8±0.7	induced	200	12.81±0.07	0.95
Q powder (prismatic sections)	168	250±3	1	19.3±0.7	natural	125	12.26±0.09	1.01
Q powder (random orientations)	168	250±3	1	19.3±0.7	natural	130	12.31±0.09	1.05
R powder (prismatic sections)	168	250±3	1000	18.8±0.7	natural	125	12.24±0.09	1.05
R powder (random orientations)	168	250±3	1000	18.8±0.7	natural	135	12.12±0.08	0.89

Fission-Track Papers

The following is a list of recent and soon-to-be published fission track papers. I have tried to avoid duplications from the list in OnTrack25; therefore, only a few 2002 papers are listed herein. While a few were submitted by the authors for inclusion in this issue of On Track, the majority were found using a database and the keywords "fission track". The list is extensive but far from complete. It may however serve as a starting point for compiling a 'complete' list of fission-track papers. We would all agree that such a list has practical use as a reference to what is happening in fission-tracks or in your study area. This cannot be achieved without everyone's active co-operation. So, if you have or know of a paper that you would like to see listed in this section, please email the citation to the editor. We are also interested in non-fission-track papers that may be of interest to the fission-track community.

2002 (not cited in OnTrack25)

- Bondarenko, G. E., Solov'ev, A. V., Tuchkova, M. I., Garver, J. I., and Podgornyi, I., 2002, First results of the zircon fission-track dating of mesozoic flysch sediments in the South Anyui Suture (western Chukotka, northeast Asia): *Doklady Earth Sciences*, v. 387A, p. 1012-1017.
- de Borja, A. W., Vignol-Lelarge, M. L. L., and Mizusaki, A. M. P., 2002, Uplift and denudation of the Caapava do Sul granitoids (southern Brazil) during Late Paleozoic and Mesozoic: constraints from apatite fission-track data: *Journal of South American Earth Sciences*, v. 15, p. 683-692.
- Dewaele, S., Boven, A., and Muchez, P., 2002, Ar-40/Ar-39 dating of mesothermal, orogenic mineralization in a low-angle reverse shear zone in the Lower Paleozoic of the Anglo-Brabant fold belt, Belgium: *Transactions of the Institution of Mining and Metallurgy Section B-Applied Earth Science*, v. 111, p. B215-B220.
- Espizua, L. E., Bigazzi, G., Iunes, P. J., Hadler, J. C., and Osorio, A. M., 2002, Fission-track dating of a tephra layer related to Poti-Malal and Seguro drifts in the Rio Grande basin, Mendoza, Argentina: *Journal of Quaternary Science*, v. 17, p. 781-788.
- Farley, K. A., 2002, (U-Th)/He dating: Techniques, calibrations, and applications in Noble Gases in *Geochemistry and Cosmochemistry*: Washington, Mineralogical Soc America, *Reviews in Mineralogy & Geochemistry* 47, p. 819-844.
- Gautier, P., Bozkurt, E., Hallot, E., and Dirik, K., 2002, Dating the exhumation of a metamorphic dome: geological evidence for pre-Eocene unroofing of the Nigde Massif (Central Anatolia, Turkey): *Geological Magazine*, v. 139, p. 559-576.
- Gleadow, A. J. W., Belton, D. X., Kohn, B. P., and Brown, R. W., 2002, Fission track dating of phosphate minerals and the thermochronology of apatite in *Phosphates: Geochemical, Geobiological, and Materials Importance*: Washington, Mineralogical Soc America, *Reviews in Mineralogy & Geochemistry* 48, p. 579-630.
- Maurel, O., Brunel, M., and Monie, P., 2002, Cainozoic exhumation of the Canigou and Mont-Louis massifs (eastern Pyrenees, France): *Comptes Rendus Geoscience*, v. 334, p. 941-948.
- Montgomery, D.R., Brandon, M.T., 2002, Topographic controls on erosion rates in tectonically active mountain ranges: *Earth and Planetary Science Letters*, v. 201, p. 481-489.
- Murakami, M., Tagami, T., and Hasebe, N., 2002, Ancient thermal anomaly of an active fault system: Zircon fission-track evidence from Nojima GSJ 750 m borehole samples: *Geophysical Research Letters*, v. 29, p. art. no.-2123.
- Nansheng, Q., 2002, Tectono-thermal evolution of the Qaidam Basin, China: evidence from R_o and apatite fission track data. (vol 8, pg 279, 2002): *Petroleum Geoscience*, v. 8, p. 385-385.
- Pascal, C., and Cloetingh, S., 2002, Rifting in heterogeneous lithosphere: Inferences from numerical modeling of the northern North Sea and the Oslo Graben: *Tectonics*, v. 21, p. art. no.-1060.
- Rana, M. A., and Qureshi, I. E., 2002, Studies of CR-39 etch rates: *Nuclear Instruments & Methods in Physics Research Section B- Beam Interactions With Materials and Atoms*, v. 198, p. 129-134.
- Suggate, R. P., 2002, Application of Rank(S-r), a maturity index based on chemical analyses of coals: *Marine and Petroleum Geology*, v. 19, p. 929-950.
- Thomson, S. N., and Herve, F., 2002, New time constraints for the age of metamorphism at the ancestral Pacific Gondwana margin of southern Chile (42-52 degrees S): *Revista Geologica De Chile*, v. 29, p. 255-271.
- Wang, F., Lo, C. H., Li, Q., Wan, J. L., Zheng, D. W., and Wang, E. Q., 2002, Unroofing around Qaidam Basin of northern Tibet at 30 Ma: constraints from Ar-40/Ar-39 and FT thermochronology on granitoids: *Science in China Series B-Chemistry*, v. 45, p. 70-83.

2003

- Arehart, G. B., Chakurian, A. M., Tretbar, D. R., Christensen, J. N., McInnes, B. A., and Donelick, R. A., 2003, Evaluation of radioisotope dating of Carlin-type deposits in the Great Basin, western North America, and implications for deposit genesis: *Economic Geology and the Bulletin of the Society of Economic Geologists*, v. 98, p. 235-248.
- Armstrong, P. A., Ehlers, T. A., Chapman, D. S., Farley, K. A., and Kamp, P. J. J., 2003, Exhumation of the central Wasatch Mountains, Utah: 1. Patterns and timing of exhumation deduced from low-temperature thermochronology data: *Journal of Geophysical Research-Solid Earth*, v. 108, p. art. no.-2172.

- Audemard, F. A., 2003, Geomorphic and geologic evidence of ongoing uplift and deformation in the Merida Andes, Venezuela: *Quaternary International*, v. 101, p. 43-65.
- Balestrieri, M. L., Bernet, M., Brandon, M. T., Picotti, V., Reiners, P., and Zattin, M., 2003, Pliocene and Pleistocene exhumation and uplift of two key areas of the Northern Apennines: *Quaternary International*, v. 101, p. 67-73.
- Barbarand, J., Carter, A., Wood, I., and Hurford, T., 2003, Compositional and structural control of fission-track annealing in apatite: *Chemical Geology*, v. 198, p. 107-137.
- Barbarand, J., Hurford, T., and Carter, A., 2003, Variation in apatite fission-track length measurement: implications for thermal history modeling: *Chemical Geology*, v. 198, p. 77-106.
- Berger, G. W., 2003, Luminescence chronology of late Pleistocene loess-paleosol and tephra sequences near Fairbanks, Alaska: *Quaternary Research*, v. 60, p. 70-83.
- Biswal, T. K., and Seward, D., 2003, Tectonic implication of the apatite fission-track analysis of the mylonites from the Terrane Boundary Shear Zone of the Eastern Ghats Mobile Belt around Lakhna, Orissa, India: *Gondwana Research*, v. 6, p. 321-325.
- Brugel, A., Dunkl, I., Frisch, W., Kuhlemann, J., and Balogh, K., 2003, Geochemistry and geochronology of gneiss pebbles from foreland Molasse conglomerates: Geodynamic and paleogeographic implications for the Oligo-Miocene evolution of the Eastern Alps: *Journal of Geology*, v. 111, p. 543-563.
- Bullen, M. E., Burbank, D. W., and Garver, J. I., 2003, Building the Northern Tien Shan: Integrated thermal, structural, and topographic constraints: *Journal of Geology*, v. 111, p. 149-165.
- Carrapa, B., Wijbrans, J., and Bertotti, G., 2003, Episodic exhumation in the Western Alps: *Geology*, v. 31, p. 601-604.
- Carter, A., and Bristow, C. S., 2003, Linking hinterland evolution and continental basin sedimentation by using detrital zircon thermochronology: a study of the Khorat Plateau Basin, eastern Thailand: *Basin Research*, v. 15, p. 271-285.
- Carter, L., Shane, P., Alloway, B., Hall, I. R., Harris, S. E., and Westgate, J. A., 2003, Demise of one volcanic zone and birth of another - A 12 my marine record of major rhyolitic eruptions from New Zealand: *Geology*, v. 31, p. 493-496.
- Chabiron, A., Cuney, M., and Poty, B., 2003, Possible uranium sources for the largest uranium district associated with volcanism: the Streltsova caldera (Transbaikalia, Russia): *Mineralium Deposita*, v. 38, p. 127-140.
- Chand, S., and Subrahmanyam, C., 2003, Rifting between India and Madagascar - mechanism and isostasy: *Earth and Planetary Science Letters*, v. 210, p. 317-332.
- Chataigner, C., Badalian, R., Bigazzi, G., Cauvin, M. C., Jrbashian, R., Karapetian, S. G., Norelli, P., Oddone, M., and Poidevin, J. L., 2003, Provenance studies of obsidian artefacts from Armenian archaeological sites using the fission-track dating method: *Journal of Non-Crystalline Solids*, v. 323, p. 167-171.
- Cloetingh, S., Spadini, G., Van Wees, J. D., and Beekman, F., 2003, Thermo-mechanical modeling of Black Sea Basin (de)formation: *Sedimentary Geology*, v. 156, p. 169-184.
- Cunningham, M. J. M., Densmore, A. L., Allen, P. A., Phillips, W. E. A., Bennett, S. D., Gallagher, K., and Carter, A., 2003, Evidence for post-early Eocene tectonic activity in southeastern Ireland: *Geological Magazine*, v. 140, p. 101-118.
- d'Alessio, M. A., Blythe, A. E., and Burgmann, R., 2003, No frictional heat along the San Gabriel fault, California: Evidence from fission-track thermochronology: *Geology*, v. 31, p. 541-544.
- de Borba, A. W., de Lima, E. F., Vignol-Lelarge, M. L. M., Mizusaki, A. M. P., Sparrenbergand, I., Sparrenberg, I., and de Barros, C. E., 2003, Significance of late Paleozoic fission-track ages in volcanic rocks from the Lavras do Sul region, southernmost Brazil: *Gondwana Research*, v. 6, p. 79-88.
- Duttine, M., Villeneuve, G., Poupeau, G., Rossi, A. M., and Scorzelli, R. B., 2003, Electron spin resonance of Fe³⁺ ion in obsidians from Mediterranean islands. Application to provenance studies: *Journal of Non-Crystalline Solids*, v. 323, p. 193-199.
- Egger, A. E., Dumitru, T. A., Miller, E. L., Savage, C. F. I., and Wooden, J. L., 2003, Timing and nature of tertiary plutonism and extension in the Grouse Creek Mountains, Utah: *International Geology Review*, v. 45, p. 497-532.
- Ehlers, T. A., and Farley, K. A., 2003, Apatite (U-Th)/He thermochronometry: methods and applications to problems in tectonic and surface processes: *Earth and Planetary Science Letters*, v. 206, p. 1-14.
- Ehlers, T. A., Willett, S. D., Armstrong, P. A., and Chapman, D. S., 2003, Exhumation of the central Wasatch Mountains, Utah: 2. Thermokinematic model of exhumation, erosion, and thermochronometer interpretation: *Journal of Geophysical Research-Solid Earth*, v. 108, p. art. no.-2173.
- Fang, X. M., Garzione, C., Van der Voo, R., Li, J. J., and Fan, M. J., 2003, Flexural subsidence by 29 Ma on the NE edge of Tibet from the magnetostratigraphy of Linxia Basin, China: *Earth and Planetary Science Letters*, v. 210, p. 545-560.
- Fisher, Q. J., Cliff, R. A., and Dodson, M. H., 2003, U-Pb systematics of an Upper Carboniferous black shale from South Yorkshire, UK: *Chemical Geology*, v. 194, p. 331-347.
- Froese, D. G., Smith, D. G., Westgate, J. A., Ager, T. A., Preece, S. J., Sandhu, A., Enkin, R. J., and Weber, F.,

- 2003, Recurring middle Pleistocene outburst floods in east-central Alaska: *Quaternary Research*, v. 60, p. 50-62.
- Garver, J. I., 2003, Etching zircon age standards for fission-track analysis: *Radiation Measurements*, v. 37, p. 47-53.
- Geisler, T., Rashwan, A. A., Rahn, M. K. W., Poller, U., Zwingmann, H., Pidgeon, R. T., Schleicher, H., and Tomaschek, F., 2003, Low-temperature hydrothermal alteration of natural metamict zircons from the Eastern Desert, Egypt: *Mineralogical Magazine*, v. 67, p. 485-508.
- Gleeson, S. A., Yardley, B. W. D., Munz, I. A., and Boyce, A. J., 2003, Infiltration of basinal fluids into high-grade basement, South Norway: sources and behaviour of waters and brines: *Geofluids*, v. 3, p. 33-48.
- Godfrey-Smith, D. I., Grist, A. M., and Stea, R. R., 2003, Dosimetric and radiocarbon chronology of a pre-Wisconsinan mastodon fossil locality at East Milford, Nova Scotia, Canada: *Quaternary Science Reviews*, v. 22, p. 1353-1360.
- Gomez, E., Jordan, T. E., Allmendinger, R. W., Hegarty, K., Kelley, S., and Heizler, M., 2003, Controls on architecture of the Late Cretaceous to Cenozoic southern Middle Magdalena Valley Basin, Colombia: *Geological Society of America Bulletin*, v. 115, p. 131-147.
- Guedes, S., Hadler, J. C., Iunes, P. J., Zuniga, A., Tello, C. A., and Paulo, S. R., 2003, The use of the U(n,f) reaction dosimetry in the determination of the $\lambda(f)$ value through fission-track techniques: *Nuclear Instruments & Methods in Physics Research Section a- Accelerators Spectrometers Detectors and Associated Equipment*, v. 496, p. 215-221.
- Gunnell, Y., 2003, Radiometric ages of laterites and constraints on long-term denudation rates in West Africa: *Geology*, v. 31, p. 131-134.
- Hadler, J. C., Bigazzi, G., Guedes, S., Iunes, P. J., Oddone, M., Tello, C. A., and Paulo, S. R., 2003, Spontaneous U-238 fission half-life measurements based on fission-track techniques: *Journal of Radioanalytical and Nuclear Chemistry*, v. 256, p. 155-157.
- Hasebe, N., Mori, S., Tagami, T., and Matsui, R., 2003, Geological partial annealing zone of zircon fission-track system: additional constraints from the deep drilling MITI-Nishikubiki and MITI-Mishima: *Chemical Geology*, v. 199, p. 45-52.
- Ingelbrecht, C., and Robouch, P., 2003, BCR certified reference materials for reactor neutron dosimetry: *Journal of Radioanalytical and Nuclear Chemistry*, v. 257, p. 649-652.
- Jacobs, J., and Bretkreuz, C., 2003, Zircon and apatite fission-track thermochronology of Late Carboniferous volcanic rocks of the NE German Basin: *International Journal of Earth Sciences*, v. 92, p. 165-172.
- Jonckheere, R., 2003, On the densities of etchable fission tracks in a mineral and co-irradiated external detector with reference to fission-track dating of minerals: *Chemical Geology*, v. 200, p. 41-58.
- Jonckheere, R., Ratschbacher, L., and Wagner, G. A., 2003, A repositioning technique for counting induced fission tracks in muscovite external detectors in single-grain dating of minerals with low and inhomogeneous uranium concentrations: *Radiation Measurements*, v. 37, p. 217-219.
- Kalsi, P. C., and Ramaswami, A., 2003, Gamma-irradiation on a Tuffak polycarbonate solid state nuclear track detector: *Journal of Radioanalytical and Nuclear Chemistry*, v. 257, p. 449-451.
- Karakhanian, A., Jrbashyan, R., Trifonov, V., Philip, H., Arakelian, S., Avagyan, A., Baghdasaryan, H., Davtian, V., and Ghouskassyan, Y., 2003, Volcanic hazards in the region of the Armenian Nuclear Power Plant: *Journal of Volcanology and Geothermal Research*, v. 126, p. 31-62.
- Kazmer, M., Dunkl, I., Frisch, W., Kuhlemann, J., and Ozsvart, P., 2003, The Paleogene forearc basin of the Eastern Alps and Western Carpathians: subduction erosion and basin evolution: *Journal of the Geological Society*, v. 160, p. 413-428.
- Ketcham, R. A., 2003, Observations on the relationship between crystallographic orientation and biasing in apatite fission-track measurements: *American Mineralogist*, v. 88, p. 817-829.
- Ketcham, R. A., Donelick, R. A., and Donelick, M. B., 2003, AFTSolve: A program for multi-kinetic modeling of apatite fission-track data: *American Mineralogist*, v. 88, p. 929-929.
- Klootwijk, C., Giddings, J., Pigram, C., Loxton, C., Davies, H., Rogerson, R., and Falvey, D., 2003, Papua New Guinea highlands: palaeomagnetic constraints oil terrane tectonics: *Tectonophysics*, v. 362, p. 239-272.
- Kruse, T. M., Wong, H. W., and Broadbelt, L. J., 2003, Modeling the evolution of the full polystyrene molecular weight distribution during polystyrene pyrolysis: *Industrial & Engineering Chemistry Research*, v. 42, p. 2722-2735.
- Levskii, L. K., Morozova, I. M., and Savatenkov, V. M., 2003, Isotope geothermometers: Applications and limitations: *Petrology*, v. 11, p. 352-364.
- Lim, H. S., Lee, Y. I., and Min, K. D., 2003, Thermal history of the Cretaceous Sindong Group, Gyeongsang Basin, Korea based on fission track analysis: *Basin Research*, v. 15, p. 139-152.
- Long, D. T., Cox, S. C., Bannister, S., Gerstenberger, M. C., and Okaya, D., 2003, Upper crustal structure beneath the eastern Southern Alps and the Mackenzie Basin, New Zealand, derived from seismic reflection data: *New Zealand Journal of Geology and Geophysics*, v. 46, p. 21-39.
- Lu, H. B., Fulthorpe, C. S., and Mann, P., 2003, Three-dimensional architecture of shelf-building sediment drifts in the offshore Canterbury Basin, New Zealand: *Marine Geology*, v. 193, p. 19-47.

- MacDonald, J., Fleischer, R. L., Fujita, S., and Hoshi, M., 2003, Use of Glazes on Porcelain from Near Ground Zero to Measure Hiroshima Neutron Fluence: *Health Physics* v. 85(4), p. 428-432.
- Matmon, A., Bierman, P. R., Larsen, J., Southworth, S., Pavich, M., and Caffee, M., 2003, Temporally and spatially uniform rates of erosion in the southern Appalachian Great Smoky Mountains: *Geology*, v. 31, p. 155-158.
- Matthews, J. V., Westgate, J. A., Ovenden, L., Carter, L. D., and Fouch, T., 2003, Stratigraphy, fossils, and age of sediments at the upper pit of the Lost Chicken gold mine: new information on the late Pliocene environment of east central Alaska: *Quaternary Research*, v. 60, p. 9-18.
- Meigs, A., Yule, D., Blythe, A., and Burbank, D., 2003, Implications of distributed crustal deformation for exhumation in a portion of a transpressional plate boundary, Western Transverse Ranges, Southern California: *Quaternary International*, v. 101, p. 169-177.
- Mosar, J., 2003, Scandinavia's North Atlantic passive margin: *Journal of Geophysical Research-Solid Earth*, v. 108, p. art. no.-2360.
- Omar, G. I., Onstott, T. C., and Hoek, J., 2003, The origin of deep subsurface microbial communities in the Witwatersrand Basin, South Africa as deduced from apatite fission track analyses: *Geofluids*, v. 3, p. 69-80.
- Perelygin, V. P., Bondar, Y. V., Ensinger, W., Fleischer, R. L., Vater, P., and Stetsenko, S. G., 2003, On search and identification of short-lived super heavy cosmic-ray nuclei ($Z \geq 110$) by fossil track study of the extraterrestrial crystals: Results and perspectives: *Nuclear Physics a*, v. 718, p. 410C-412C.
- Rahl, J.M., Reiners, P.W., Campbell, I.H., Nicolescu, S., and Allen, C.M., 2003, Combined single-grain (U-Th)/He and U/Pb dating of detrital zircons from the Navajo Sandstone, Utah, *Geology*, v. 31, p. 761-764.
- Ramaswami, A., Rattan, S. S., Kalsi, P. C., and Dange, S. P., 2003, Absolute fission yields in the fast neutron induced fission of U-233 by track etch combined with gamma-ray spectrometry: *Journal of Radioanalytical and Nuclear Chemistry*, v. 256, p. 353-355.
- Reddy, S. M., Wheeler, J., Butler, R. W. H., Cliff, R. A., Freeman, S., Inger, S., Pickles, C., and Kelley, S. P., 2003, Kinematic reworking and exhumation within the convergent Alpine Orogen: *Tectonophysics*, v. 365, p. 77-102.
- Reiners, P. W., Zhou, Z. Y., Ehlers, T. A., Xu, C. H., Brandon, M. T., Donelick, R. A., and Nicolescu, S., 2003, Post-orogenic evolution of the Dabie Shan, eastern China, from (U-Th)/He and fission-track thermochronology: *American Journal of Science*, v. 303, p. 489-518.
- Ring, U., Thomson, S. N., and Brocker, M., 2003, Fast extension but little exhumation: the Vari detachment in the Cyclades, Greece: *Geological Magazine*, v. 140, p. 245-252.
- Rossetti, F., Lisker, F., Storti, F., and Laufer, A. L., 2003, Tectonic and denudational history of the Rennick Graben (North Victoria Land): Implications for the evolution of rifting between East and West Antarctica: *Tectonics*, v. 22, p. art. no.-1016.
- Saenz, C. A. T., Hackspacher, P. C., Neto, J. C. H., Iunes, P. J., Guedes, S., Ribeiro, L. F. B., and Paulo, S. R., 2003, Recognition of Cretaceous, Paleocene, and Neogene tectonic reactivation through apatite fission-track analysis in Precambrian areas of southeast Brazil: association with the opening of the south Atlantic Ocean: *Journal of South American Earth Sciences*, v. 15, p. 765-774.
- Safran, E. B., 2003, Geomorphic interpretation of low-temperature thermochronologic data: Insights from two-dimensional thermal modeling: *Journal of Geophysical Research-Solid Earth*, v. 108, p. art. no.-2189.
- Schlup, M., Carter, A., Cosca, M., and Steck, A., 2003, Exhumation history of eastern Ladakh revealed by Ar-40/Ar-39 and fission-track ages: the Indus River-Tso Moriri transect, NW Himalaya: *Journal of the Geological Society*, v. 160, p. 385-399.
- Schwartz, K., Trautmann, C., and Neumann, R., 2003, Electronic excitations and heavy-ion-induced processes in ionic crystals: *Nuclear Instruments & Methods in Physics Research Section B- Beam Interactions With Materials and Atoms*, v. 209, p. 73-84.
- Shan, L., Wen, H. H., and Dou, S. X., 2003, Enhanced flux pinning by isotropic fission tracks on uranium-doped Bi-2223 tapes irradiated by thermal neutrons: *Physica C-Superconductivity and Its Applications*, v. 390, p. 80-88.
- Sobel, E. R., Hilley, G. E., and Strecker, M. R., 2003, Formation of internally drained contractional basins by aridity-limited bedrock incision: *Journal of Geophysical Research-Solid Earth*, v. 108, p. art. no.-2344.
- Stock, J., and Dietrich, W. E., 2003, Valley incision by debris flows: Evidence of a topographic signature: *Water Resources Research*, v. 39, p. art. no.-1089.
- Stockli, D. F., Dumitru, T. A., McWilliams, M. O., and Farley, K. A., 2003, Cenozoic tectonic evolution of the White Mountains, California and Nevada: *Geological Society of America Bulletin*, v. 115, p. 788-816.
- Storer, J. E., 2003, The Eastern Beringian vole *Microtus deceitensis* (Rodentia, Muridae, Arvicolinae) in Late Pliocene and Early Pleistocene faunas of Alaska and Yukon: *Quaternary Research*, v. 60, p. 84-93.
- Tagami, T., Farley, K. A., and Stockli, D. F., 2003, (U-Th)/He geochronology of single zircon grains of known Tertiary eruption age: *Earth and Planetary Science Letters*, v. 207, p. 57-67.
- Todorovic, Z., Djordjevic, A., and Savovic, S., 2003, Measurement of cross sections of heavy fragments

- formed in the interaction of 0.65-12.7 (GeVHe)-He-4 with Bi-209: *Acta Physica Polonica B*, v. 34, p. 4205-4217.
- Toro, J., Amato, J. M., and Natal'in, B., 2003, Cretaceous deformation, Chegitun River area, Chukotka Peninsula, Russia: Implications for the tectonic evolution of the Bering Strait region: *Tectonics*, v. 22, p. art. no.-1021.
- Trielloff, M., Jessberger, E. K., Herrwerth, I., Hopp, J., Fieni, C., Ghelis, M., Bourrot-Denise, M., and Pellas, P., 2003, Structure and thermal history of the H-chondrite parent asteroid revealed by thermochronometry: *Nature*, v. 422, p. 502-506.
- Vance, D., Bickle, M., Ivy-Ochs, S., and Kubik, P. W., 2003, Erosion and exhumation in the Himalaya from cosmogenic isotope inventories of river sediments: *Earth and Planetary Science Letters*, v. 206, p. 273-288.
- Veevers, J. J., 2003, Pan-African is Pan-Gondwanaland: Oblique convergence drives rotation during 650-500 Ma assembly: *Geology*, v. 31, p. 501-504.
- Viola, G., Mancktelow, N. S., Seward, D., Meier, A., and Martin, S., 2003, The Pejo fault system: An example of multiple tectonic activity in the Italian Eastern Alps: *Geological Society of America Bulletin*, v. 115, p. 515-532.
- Wang, J. H., Yin, A., Harrison, T. M., Grove, M., Zhou, J. Y., Zhang, Y. Q., and Xie, G. H., 2003, Thermochronological constraints on two pulses of Cenozoic high- K magmatism in eastern Tibet: *Science in China Series D-Earth Sciences*, v. 46, p. 719-729.
- West, D. P., and Roden-Tice, M. K., 2003, Late Cretaceous reactivation of the Norumbega fault zone, Maine: Evidence from apatite fission-track ages: *Geology*, v. 31, p. 649-652.
- Westgate, J. A., Preece, S. J., and Pewe, T. L., 2003, The Dawson Cut Forest Bed in the Fairbanks area, Alaska, is about two million years old: *Quaternary Research*, v. 60, p. 2-8.
- Williams, G. E., and Wallace, M. W., 2003, The Acraman asteroid impact, South Australia: magnitude and implications for the late Vendian environment: *Journal of the Geological Society*, v. 160, p. 545-554.
- Wilson, N. S. F., Zentilli, M., Reynolds, P. H., and Boric, R., 2003, Age of mineralization by basinal fluids at the El Soldado manto-type copper deposit, Chile: Ar-40/Ar-39 geochronology of K-feldspar: *Chemical Geology*, v. 197, p. 161-176.
- Yamauchi, T., El-Rahmany, A., Mineyama, D., Nakai, H., and Oda, K., 2003, Surface layer in CR-39 plastic track detector where the bulk etch rate is enhanced: *Radiation Measurements*, v. 37, p. 119-125.
- Yan, Y., Lin, G., Wang, Y. J., Guo, F., Li, Z. A., Li, X. M., and Zhao, C. B., 2003, Apatite fission track age of Mesozoic sandstones from Beipiao basin, eastern China: Implications for basin provenance and tectonic evolution: *Geochemical Journal*, v. 37, p. 377-389.
- Yoshioka, T., Tsuruta, T., Iwano, H., Danhara, T., and Koguchi, Y., 2003, Fission-fragment registration and etching properties of diallyl phthalate with reference to its use as an external detector in fission-track dating: *Nuclear Instruments & Methods in Physics Research Section B- Beam Interactions With Materials and Atoms*, v. 207, p. 323-332.
- Zhang, B. T., Chen, P. R., Yang, D. S., and Kong, X. G., 2003, Geochemical evidence for contribution of ore-forming materials from peraluminous granite basement - Taking Fucheng pluton and No. 6722 uranium deposit in southern Jiangxi Province as examples: *Science in China Series D-Earth Sciences*, v. 46, p. 296-304.
- Zhao, Z. D., Mo, X. X., Guo, T. Y., Zhang, S. Q., Zhou, S., Dong, G. C., Wang, L. L., Zhang, F. Q., and Wan, J. L., 2003, Fission track age of granite batholith from Southern Tibet: implications for the plateau uplift: *Progress in Natural Science*, v. 13, p. 632-636.
- Zhou, Z. Y., Xu, C. H., Reiners, P. W., Yang, F. L., and Donelick, R. A., 2003, Late Cretaceous-Cenozoic exhumation history of Tiantangzhai region of Dabieshan Orogen: Constraints from (U-Th)/He and fission track analysis: *Chinese Science Bulletin*, v. 48, p. 1151-1156.

In Press

- Alson-Haran, P., Bermúdez-Cella, M and Mora-Matos, J. in press, Age estimation of rocks using fission tracks and Uranium density: *Math. Geology*.
- Balcázar, M. A López, A Hernández, R Corona, U A Glasmacher, G A Wagner, submitted, Characterization of Durango Apatite, *Radiation Measurements* 8 pages without figures and tables
- Bermúdez-Cella, M. Alson-Haran, P. and Mora-Matos, J. submitted, Ecuacion fundamental de la edad para la datación de material rocoso y su adaptacion a la ecuacion practica para el metodo de huellas de fision: *Revista de la Facultad de Ingeniería de la Universidad Central de Venezuela*, 8 pages.
- Bermúdez-Cella, M. Alson-Haran, P. and Mora-Matos, J. submitted, Equivalencia entre las diversas formulas del calculo de errores de la edad determinadas por el metodo de huellas de fision: *Revista de la Facultad de Ingeniería de la Universidad Central de Venezuela*, 8 pages.
- Bernet, M., Brandon, M.T., Garver, J.I., and Molitor, B.R., 2004, Downstream changes of Alpine zircon fission-track ages in the Rhône and Rhine Rivers: *Journal of Sedimentary Research*, v. 73, (in press).
- Glasmacher, U.A., Lang, M., Klemme, S., Moine, B., Barbero, L., Neumann, R., & Wagner, G.A., accepted, Alpha-Recoil-Tracks in natural dark mica: Dating geological samples by optical and scanning force microscopy, *Nuclear Instruments and Methods B.*, 7 pages, 5 figs.

Hendriks, B.W.H. and Andriessen, P.A.M. 2002, Pattern and timing of the post-Caledonian denudation of northern Scandinavia constrained by apatite fission-track thermochronology. In: Doré, A.G., Cartwright, J.A., Stoker, M.S., Turner, J.P. & White, N. (eds) Exhumation of the North Atlantic Margin: Timing, Mechanisms and Implications for Petroleum Exploration. Geological Society, London, Special Publications, 196, 117 - 137.

Lang, M., Glasmacher, U.A., Neumann, R., & Wagner, G.A., accepted, Etching behaviour of alpha-recoil-tracks in natural dark mica by means of artificial ion tracks, Nuclear Instruments and Methods B, 8 pages, 6 figs., 2 tab. Ravenhurst, C. E., Roden-Tice, M. K.,

and Miller, D. S. Thermal annealing of fission tracks in fluorapatite, chlorapatite, manganoapatite and Durango apatite: Experimental results. Canadian Journal of Earth Sciences, in press.

Sobel, E. R. and Strecker, M.R., in press, Uplift, exhumation, and precipitation: Tectonic and climatic control of Late Cenozoic landscape evolution in the northern Sierras Pampeanas, Argentina: Basin Research.

Stewart, R.J., Brandon, M.T., 2003, Detrital zircon fission-track ages for the Hoh Formation: Implications for late Cenozoic evolution of the Cascadia subduction wedge. Geological Society of America Bulletin, in press.

International Fission-Track Directory

This revised and extended International Fission-Track Directory is by no means complete or accurate. Although a number of people do not figure in the staff, e-mail or phone directories of the institutes under which they are mentioned, this has not been interpreted as a sign of non-existence, and they have for the moment been retained with their old affiliations. It would be much appreciated if you would let the editor know if your address has changed, or if people have joined or definitively left your lab, so that the directory can be updated.

Abbate, Ernesto

Dipartimento di Scienze della Terra
University of Florence
Via La Pira 4, 50121 Firenze, Italy
Phone: +39 55 275 7527
Fax: +39 55 218 628
E-mail: abbate@unifi.it
Web: steno.geo.unifi.it

Aizawa, Minoru

Department of Geology
Imperial College
Prince Consort Road, London SW7 2BP, UK
Phone: +44 171 594 6468
Fax: +44 171 594 6464
E-mail: m.aizawa@ic.ac.uk

Alson, Pedro

Thermochronology Laboratory
Escuela de Geología, Minas y Geofísica
Facultad de Ingeniería
Universidad Central de Venezuela
Caracas, Venezuela
E-mail: palsen@euler.ciens.ucv.ve

Andriessen, Paul A.M.

Department of Isotope Geochemistry
Faculteit Aardwetenschappen
Vrije Universiteit Amsterdam
De Boelelaan 1085
1081 HV Amsterdam, The Netherlands
Phone: +31 20 4447340
Fax: +31 20 6462457
E-mail: Paul.Andriessen@falw.vu.nl
Web: www.geo.vu.nl/~isotopen

Angelmaier, Petra

Institut für Geologie und Paläontologie
Eberhard Karls Universität Tübingen
Sigwartstrasse 10, D-72076 Tübingen, Germany
Phone: +49 7071 2975 240
Fax: +49 7071 5059
E-mail: petra.angelmaier@uni-tuebingen.de
Web: homepages.uni-tuebingen.de/petra.angelmaier

Armstrong, Phillip A.

Department of Geosciences

California State University
P.O. Box 6850 Fullerton, CA 92834-6850, USA
Phone: +1 714 278 3169
Phone: +1 714 278 7266
E-mail: parmstrong@fullerton.edu
Web: geology.fullerton.edu/index.htm

Arne, Dennis

Alpine Geological & Technical Services
126A Delany Avenue, Bright, Victoria 3741, Australia
E-mail: dennis.arne@bigpond.com

Augusto, Pedro Franco Pinheiro Moreira

Departamento de Raios Cósmicos e Cronologia
Instituto de Física Gleb Wataghin
Universidade Estadual de Campinas
Caixa Postal 6165, CEP 13083-970 UNICAMP
Campinas, SP, Brazil
Phone: +55 19 3788 5362
Fax: +55 19 3788 5512
E-mail: pmoreira@ifi.unicamp.br
Web: www.ifi.unicamp.br/~turtelli/www0.htm

Avé Lallemant, Hans G.

Department of Earth Science
Rice University
6100 Main St, Houston, TX 77005-1892, USA
Phone: +1 713 348 4880
Fax: +1 713 348 5214
E-mail: ave@rice.edu
Web: terra.rice.edu

Bal, K. D.

Fission Track Laboratory
Keshav Deva Malaviya Institute of Petroleum Exploration
Oil and Natural Gas Corporation
Dehradun, India
Web: [www.ONGCIndia.com/r&d/ois/kdmipe](http://www ONGCIndia.com/r&d/ois/kdmipe)

Balcázar Garcia, Miguel

Departamento de Estudios del Ambiente
Instituto nacional de investigaciones Nucleares
Apartado Postal 18-1027, México, D.F. 11801, Mexico
E-mail: mbg@nuclear.inin.mx
Web: www.inin.mx

Baldwin, Suzanne

Heroy Geology Laboratory

Department of Earth Sciences
Syracuse University
Syracuse, New York 13244-1070, USA
Phone: +1 315 443 4920
Fax: +1 315 443 2619
E-mail: sbaldwin@syr.edu
Web: su-thermochronology.syr.edu

Balestrieri, Maria Laura
Dipartimento di Scienze della Terra
University of Florence
Via La Pira 4, 50121 Firenze, Italy
Phone: +39 55 275 7494
Fax: +39 55 218 628
E-mail: mlaura@geo.unifi.it
Web: steno.geo.unifi.it

Barbarand, Jocelyn
Jocelyn Barbarand
UMR OrsayTerre 8616
Université Paris-Sud
Bâtiment 504
91405 Orsay cedex, France
Tel: 00.33.1.69.15.48.68
Fax: 00.33.1.69.15.48.68
E-mail: barbaran@geol.u-psud.fr

Barbero González, Luis C.
Dipartimento Geologia
Facultad de Ciencias del Mar y Ambientales
Universidad de Cadiz
1150 Puerto Real, Cadiz, Spain
Phone: +34 956 470 864
Fax: +34 956 470 811
E-mail: luis.barbero@uca.es
Web: www2.uca.es/facultad/ciencias_mar

Batt, Geoffrey
Department of Geology
Royal Holloway
University of London
Egham Hill
Egham, Surrey TW20 OEX
Phone: +44 01784 443606
E-mail: g.batt@gl.rhul.ac.uk

Belton, Dave X.
School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 9669 /7675
Fax: +61 3 8344 7761
E-mail: d.belton@earthsci.unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Bergman, Steven C.
Departments of Geosciences & Science & Mathematics
University of Texas at Dallas
Box 830688, Richardson, TX 75083-0688, USA
Phone: +1 972 883 4365
Fax: +1 972 883 2537
E-mail: bergman@utdalla.edu
Web: www.utdallas.edu/dept/geosciences/Bergman.html

Bermudez, Mauricio
Thermochronology Laboratory
Escuela de Geología, Minas y Geofísica
Facultad de Ingeniería
Universidad Central de Venezuela
Caracas, Venezuela
E-mail: mbermude@euler.ciencs.ucv.ve

Bernet, Matthias
LGCA, Université Joseph Fourier
Maison des Géosciences
1381 rue de la piscine
38400 St-Martin d'Hères, France
Phone: +33 4 76 63 59 30

Fax: +33 4 76 51 40 58
E-mail: matthias.bernet@aya.yale.ed

Bigazzi, Giulio
Istituto di Geocronologia e Geochimica Isotopica
Consiglio Nazionale delle Ricerche
Area delle Ricerche di Pisa
Via G. Moruzzi, 1, 56124 Pisa, Italy
Phone: +39 50 315 2283
Fax: +39 50 315 2360
E-mail: g.bigazzi@igg.cnr.it
Web: www.area.pi.cnr.it/AREAEN/iggi.html

Blythe, Ann E.
Department of Earth Sciences
University of Southern California
Los Angeles, CA 90089-0740, USA
Phone: +1 (213) 821-1094
Fax: +1 (213) 740-8801
E-mail: blythe@earth.usc.edu

Boettcher, Stefan S.
Department of Geological Sciences
University of Texas at Austin
Austin, TX 78712, USA
Phone: +1 512 471 8547
Fax: +1 512 471 9425
E-mail: sboett@maestro.geo.utexas.edu
Web: www.geo.utexas.edu

Bojar, Ana-Voica
Insitut für Geologie und Paläontologie
Karl-Franzens Universität
Heinrichstraße 26, A-8010 Graz, Austria
Phone: +43 316 380 8727
Fax: +43 316 380 9871
E-mail: ana-voica.bojar@kfunigraz.ac.at
Web: www-ang.kfunigraz.ac.at/~bojar

Bondar, Julia
State Science Center of Environmental Radiogeochemistry
34 Palladin Avenue, 03142 Kiev, Ukraine
Fax: +380 44 451 02 36
E-mail: center@radgeo.freenet.kiev.ua

Bondarenko, Oleg
Deputy Director - Radiation Safety Chief
SSSIE Echocentre
6 Shkolnaya Str., Chornobyl
Kievskaya obl., Ukraine
Phone: +38 (04493) 52218
Fax: +38 (04493) 52398
E-mail: boa@ic-chemobyl.kiev.ua
Web: http://www.ic-chemobyl.kiev.ua/ecocentr.htm

Boulyga, Sergei
Central Department for Analytical Chemistry
Research Centre Jülich
D-52425 Jülich Germany
Phone: +49 2461 613 291
Fax: +49 2461 612 560
E-mail: s.boulyga@fz-juelich.de

Boztug, Durmus
Jeoloji Mühendisli ği Bölümü
Mühendislik Fakültesi, Cumhuriyet Üniversitesi
58140 Sivas, Turkey
Phone: +90 346 219 1010
Fax: +90 346 219 1171
E-mail: boztug@cumhuriyet.edu.tr
Web: jeoloji.cumhuriyet.edu.tr

Brandon, Mark T.
Kline Geology Laboratory
Department of Geology and Geophysics
Yale University
P.O. Box 208109, 210 Whitney Avenue
New Haven, CT 06520-8109, USA

Phone: +1 203 432 3135
Fax: +1 203 432 3134
E-mail: mark.brandon@yale.edu
Web: www.geology.yale.edu/~brandon/

Brix, Manfred R.

Institut für Geologie, Mineralogie und Geophysik
Fakultät für Geowissenschaften
Ruhr-Universität Bochum
Postfach 102148, D-44721 Bochum, Germany
Phone: +49 2343 223 236
Fax: +49 2343 214 572
E-mail: manfred.r.brix@ruhr-uni-bochum.de
Web: www.ruhr-uni-bochum.de/hardrock/Mitarbeiter/brix.html

Brown, Roderick W.

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 9868 /7675
Fax: +61 3 8344 7761
E-mail: rwbrown@unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Brunel, Maurice

ISTEEM GGP laboratory CC 058
Universite Montpellier II
1 Place E. Bataillon, 34095 Montpellier Cedex, France
Phone: +33 4 67 14 36 47
Fax: +33 4 67 14 42 53
E-mail: brunel@dstu.univ-montp2.fr
Web: www.dstu.univ-montp2.fr

Burchart, Jan

Institute of Geological Sciences
Polish Academy of Sciences
Zwirki i Wigury 93, 02-089 Warsaw, Poland
Web: www.pan.pl/english/index.html

Calmus, Thierry

Instituto de Geología
Universidad Nacional Autónoma de México
Apartado Postal 1039, Hermosillo, Sonora, 8300 Mexico
E-mail: tcalmus@servidor.unam.mx
Web: geologia.igolcu.unam.mx/geol.htm

Carlson, William D.

Department of Geological Sciences
University of Texas at Austin
Austin, TX 78712, USA
Phone: +1 512 471 4770
Fax: +1 512 471 9425
E-mail: wcarlson@mail.utexas.edu
Web: www.geo.utexas.edu/faculty/carlson.htm

Carpéna, Joëlle

Commissariat Energie Atomique
Direction Energie Nucléaire
Centre d'Etudes de Cadarache
DED/SEP/Bâtiment 307, 13108 Saint Paul lez Durance CDX, France
Phone: +33 4 42 25 46 94
E-mail: carpe@bahia.cad.cea.fr
Web: www-cad.cea.fr/r10.htm

Carpenter, Stephen B.

Office of International and Academic Affairs
National Institute of Standards and Technology
100 Bureau Drive, Stop 1090 Gaithersburg, MD 20899-1090, USA
Phone: +1 301 975 4119
E-mail: b.carpenter@nist.gov
Web: www.nist.gov/oiaa/steve.htm

Carrapa, Barbara

Institut für Geowissenschaften, Universität Potsdam
Postfach 60 15 53 D-14415, Potsdam, Germany
Phone: +49 331 977 5 078
Fax: +49 331 977 5060
E-mail: carrapa@geo.uni-potsdam.de

Carrière, Kevin

FS Archäometrie der Heidelberger Akad. d. Wissenschaften am MPI
für Kernphysik.
Saupfercheckweg 1
D-69117 Heidelberg, Deutschland
E-mail: carriere@mpi-hd.mpg.de
Fax: +49 6221 516 633
Phone: +49 6221 516 337

Carter, Andrew

Fission Track Research Group
Department of Earth Sciences
University College London
London WC1E 6B, UK
Phone: +44 20 7679 2418
Fax: +44 20 7813 2802
E-mail: a.carter@ucl.ac.uk
Web: www.fissiontrack.ucl.ac.uk/Personal/Andypage/AC.html

Carter, Tim J.

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 7673 /7675
Fax: +61 3 8344 7761
E-mail: t.carter@pgrad.unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Cawley, Steve

BP-Amoco
Farburn Industrial Estate, Aberdeen AB21 7PB, UK
E-mail: cawleysj@bp.com

Cederbom, Charlotte

Department of Geology and Geophysics
University of Edinburgh
Edinburgh EH9 3JW, Scotland, UK
Phone: +44 131 6 508 524
Fax: +44 131 6 505 931
E-mail: cederbom@glg.ed.ac.uk
Web: www.glg.ed.ac.uk

Chadderton, Lewis T.

Research School of Physical Sciences and Engineering
Australian National University
Canberra, ACT, Australia
Phone: +61 2 6125 4542
Fax: +61 2 6125 0043
E-mail: Lewis.Chadderton@anu.edu.au
Web: www.rphysse.anu.edu.au/ampl/research/rad/index.html

Chambaudet, Alain

Laboratoire de Microanalyses Nucléaires
Université de Franche-Comté
16 route de Gray, F-25030 Besancon Cedex, France
Phone: +33 3 81 66 65 01
Fax: +33 3 81 66 65 22
E-mail: alain.chambaudet@univ-fcomte.fr

Chan, Roslyn

Minerals Division
Australian Geological Survey Organisation
P.O. Box 378, Canberra ACT 2603, Australia
Phone: +61 2 6249 9371
Fax: +61 2 6249 9930
E-mail: roslyn.chan@agso.gov.au
Web: leme.anu.edu.au

Clavero, Jorge

Servicio Nacional de Geología y Minería
Av. Sta. Maria 0104, Casilla 10465, Providencia, Santiago de Chile
Phone: +56 2 737 5050
Fax: +56 2 777 1906
E-mail: JClavero@sernageomin.cl
Web: www.sernageomin.cl/prototipo/index.htm

Cloos, Mark

Department of Geological Sciences
University of Texas at Austin
Austin, TX 78712, USA
Phone: +1 512 471 4170
Fax: +1 512 471 9425
E-mail: cloos@mail.utexas.edu
Web: www.geo.utexas.edu/faculty/cloos.htm

Coleman, Max

Research Institute for Sedimentology
The University of Reading
P.O. Box 227, Whiteknights, Reading, RG6 6AB, UK
Phone: +44 118 931 6627
Fax: +44 118 931 0279
E-mail: m.l.coleman@reading.ac.uk
Web: www.rdg.ac.uk/AcaDepts/sl/Sed/Staff/People/mlc1.html

Corrigan, Jeff D.

ARCO Exploration and Production
2300 W. Plano Parkway, Plano, TX 75075, USA
Phone: +1 214 509 4090
E-mail: dprjdc@arco.com

Coutand, Isabelle

Université des Sciences et Technologies de Lille 1
UMR-CNRS PBDS
UFR des Sciences de la Terre (bât.SN5)
59655 Villeneuve d'Ascq cedex, France
Phone: +33 (0)3.20.43.41.21
Fax: +33 (0)3.20.43.49.10
E-mail: Isabelle.Coutand@univ-lille1.fr

Crowhurst, Peter

CSIRO Petroleum Resources
P.O. Box 136, North Ryde NSW 1670, Australia
Phone: +61 2 9490 8666
Fax: +61 2 9490 8902
E-mail: p.crowhurst@dpr.csiro.au
Web: www.dpr.csiro.au/research/tbe.html

Crowley, Kevin, D.

Board on Radioactive Waste Management
National Research Council
2101 Constitution Avenue, Washington, DC 20418, USA
Phone: +1 202 334 3066
Fax: +1 202 334 3077
E-mail: kcrowley@nas.edu
Web: www4.nationalacademies.org/cger/brwmwebp.nsf

Currie, Lisel D.

Energy and Environment
Geological Survey of Canada
3303-33rd St., NW Calgary, Alberta, T2L 2A7, Canada
Phone: +1 403 292-7004
Fax: +1 403 292 4961
E-mail: lcurrie@nrcan.gc.ca
Web: www.nrcan.gc.ca/gsc/calgary/index_e.html

Danhara, Tohru

Kyoto Fission-Track Co., Ltd.
44-4 Minamitajiri-cho, Omiya, Kita-ku
Kyoto 603-8832, Japan
Phone: +81-75-493-0684
Fax: +81-75-493-0741
E-mail: kyoto-ft@mb.newweb.ne.jp

Danisik, Martin

Institut für Geologie und Paläontologie
Eberhard Karls Universität Tübingen
Sigwartstrasse 10, D-72076 Tübingen, Germany
Phone: +49 7071 2972494
Fax: +49 7071 5059
E-mail: martin.danisik@uni-tuebingen.de
Web: www.uni-tuebingen.de/geo/gpi

de Bruijne, Karen

Department of Isotope Geochemistry

Faculty of Earth sciences
Vrije Universiteit Amsterdam
De Boelelaan 1085, Amsterdam 1081 HV, The Netherlands
Phone: +31 20 4447310
Fax: +31 20 6462457
E-mail: bruc@geo.vu.nl
Web: www.geo.vu.nl/~isotopen

De Corte, Frans

Institute for Nuclear Sciences
University of Gent
Proeftuinstraat 86, B-9000 Gent, Belgium
Phone: +32 9 264 6627
Fax: +32 9 264 6699
E-mail: Frans.Decorte@rug.ac.be
Web: allserv.rug.ac.be/~jddonder/AnalChem/incmain.htm#Home

De Grave, Johan

Geologisch Instituut
Universiteit Gent
Krijgslaan 281 (S8), B-9000 Gent, Belgium
Phone: +32 9 264 4592
Fax: +32 9 264 4997
E-mail: Johan.Degrave@rug.ac.be
Web: allserv.rug.ac.be/~fmees/mineralogy.htm

de Paulo, Sérgio R.

Instituto de Ciências Exatas e da Terra
Universidade Federal de Mato Grosso
78060-900, Cuiaba, MT, Brazil
Instituto de Geociências
Universidade de São Paulo, São Paulo, SP, Brazil
E-mail: Iraesergio@uol.com.br
Web: www.ufmt.br/icet/icet.html
Web: www.igc.usp.br

De Wispelaere, Antoine

Institute for Nuclear Sciences
University of Gent
Proeftuinstraat, 86, B-9000 Gent, Belgium
Phone: +32 9 264 6627
Fax: +32 9 264 6699
E-mail: Antoine.Dewispelaere@rug.ac.be
Web: allserv.rug.ac.be/~jddonder/AnalChem/incmain.htm#Home

De Wit, M.C.J.

De Beers Consolidated Mines Ltd.
P.O. Box 7383, Centurion, 0046 Pretoria, South Africa

Dickin, Alan P.

School of Geography and Geology
McMaster University
Hamilton, Ontario L8S 4M1, USA
Phone: +1 905 525 9140 Ext. 24365
Fax: +1 905 522 3141
E-mail: dickin@mcmaster.ca
Web: www.science.mcmaster.ca/geology/dickin.html

Dodson, Martin H.

Department of Earth Sciences
University of Leeds
Leeds, LS2 9JT, UK

Dokka, Roy K.

Department of Geology
Louisiana State University
E235 Howe Russell Building, LSU
Baton Rouge, Louisiana, 70803-4101, USA
Phone: +1 225 388 3353
Fax: +1 225 388 2302
E-mail: dokka@geol.lsu.edu
Web: www.geol.lsu.edu/departement/facilities/laboratories/tectonics/index.html

Donelick, Raymond A.

Donelick, Margaret B.
Donelick Analytical Inc.
1075 Matson Road, Viola, Idaho 83872-9709, USA
Phone: +1 208 875 2332

Fax: +1 208 875 8881
E-mail: donelick@apatite.com
Web: www.apatite.com

Dorighel, Olivier

Groupe de Géophysique Nucléaire
Université Joseph Fourier
Institut Dolomieu
15 Rue Maurice Gignoux, 38031 Grenoble Cedex, France

Duddy, Ian R.

Geotrack International Pty. Ltd.
37 Melville Road, West Brunswick, VIC 3055, Australia
Phone: +61 3 9380 1077
Fax: +61 3 9380 1477
E-mail: mail@geotrack.com.au
Web: www.geotrack.com.au

Dumitru, Trevor A.

Department of Geology and Environmental Sciences
Stanford University
Stanford, CA 94305-2115, USA
Phone: +1 415 725 1328
Fax: +1 415 725 2199
E-mail: trevor@pangea.stanford.edu
Web: pangea.Stanford.edu/structure/projects/fission_track.html

Dunai, Tibor J.

Department of Isotope Geochemistry
Faculty of Earth sciences
Vrije Universiteit Amsterdam
De Boelelaan 1085, Amsterdam 1081 HV, The Netherlands
Phone: +31 20 444 7398
Fax: +31 20 646 2457
E-mail: dunt@geo.vu.nl
Web: www.geo.vu.nl/~isotopen

Dunkl, István

Institut für Geologie und Paläontologie
Eberhard Karls Universität Tübingen
Sigwartstrasse 10, D-72076 Tübingen, Germany
Phone: +49 7071 2974 703
Fax: +49 7071 5059
E-mail: istvan.dunkl@uni-tuebingen.de
Web: www.uni-tuebingen.de/geo/gpi/ag-frisch/mitarbeiter/dunkl/seiten/ft-group.html

Durrani, Saeed A.

School of Physics and Space Research
University of Birmingham
Birmingham B15 2TT, UK
Phone: +44 21 414 4691 /4655
Fax: +44 21 414 4693
E-mail: s.a.durrani@bham.ac.uk

Eby, G. Nelson

Department of Environmental, Earth & Atmospheric Sciences
University of Massachusetts
Lowell, MA 01854 USA
Phone: +1 978 934 3907
Fax: +1 978 934 3069
E-mail: Nelson_Eby@uml.edu

Edwards, Michael

Institut für Geologie
University of Vienna
Althanstrasse 14
Vienna A-1090, Austria
Phone: +49 (0)177-783-2827
E-mail: medwards@gmx.net

Ege, Harald

Institut für Geologische Wissenschaften
Freie Universität Berlin
Malteserstrasse 74-100
D-12249 Berlin, Germany
E-mail: ege@zedat.fu-berlin.de

Ehlers, Todd

Department of Geological Sciences
University of Michigan
2534 C.C. Little Building, 425 East University
Ann Arbor, Michigan, 48109-1063
Phone: +1 734.763.5112 (temporary)
Fax: +1 734.763.4690
E-mail: tehlers@umich.edu

Elias, Jürgen

Institut für Geologie und Paläontologie
Eberhard Karls Universität Tübingen
Sigwartstrasse 10, D-72076 Tübingen, Germany
Fax: +49 7071 5059
E-mail: jnelias@med.uni-tuebingen.de
Web: www.uni-tuebingen.de/geo/gpi

Enkelmann, Eva

Institut für Geologie
Technische Universität Bergakademie Freiberg
Bernhard-von-Cottastrasse 2, D-09596 Freiberg, Germany
Phone: +49 3731 393 758
Fax: +49 3731 393 295
E-mail: eva.enkelmann@geo.tu-freiberg.de
Web: www.geo.tu-freiberg.de/tektono

Evarts, Russell C.

U.S. Geological Survey, MS-999
345 Middlefield Road, Menlo Park, CA 94025, USA
Phone: +1 650 329 4929
Fax: +1 650 329 4936
E-mail: revarts@usgs.gov
Web: www.usgs.gov

Fabel, Derek

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
E-mail: d.fabel@unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Farley, Kenneth A.

Division of Geological and Planetary Sciences
California Institute of Technology
Caltech MS 170-25, Pasadena CA 91125, USA
Phone: +1 626 395 6005
Fax: +1 626 568 0935
E-mail: farley@gps.caltech.edu
Web: www.gps.caltech.edu/~farley/farley.htm

Fayon, Annia K.

Department of Geology and Geophysics
University of Minnesota-Twin Cities
108 Pillsbury Hall, 310 Pillsbury Drive SE
Minneapolis, MN 55455, USA
Phone: +1 612 626 9805
Fax: +1 612 625 3819
E-mail: annia@geolab.geo.umn.edu
Web: www.geo.umn.edu/orgs/whitney/DLW_postdoc.html

Feinstein, Shimon

Department of Geological and Environmental Sciences
Ben Gurion University of the Negev
P.O. Box 653, Beer Sheva 84105, Israel
Phone: +972 8 647 2622
Fax: +972 8 647 2997
E-mail: shimon@bgumail.bgu.ac.il
Web: www.bgu.ac.il/geol/index.html

Filip, Jiri

Institute of Geology
Academy of Sciences of the Czech Republic
Rozvojova 135, Prague 6 CZ 165 02, Czech Republic
Phone: +420 2 3308 7248
Fax: +420 2 3308 7111
E-mail: filip@gli.cas.cz
Web: www.gli.cas.cz

Fisher, David E.

Department of Geological Sciences
University of Miami
Miami, FL 33124-0401, USA
Phone: +1 305 284 3254
Fax: +1 305 284 4258
Web: www.as.miami.edu/geology

Fitzgerald, Paul G.

Heroy Geology Laboratory
Department of Earth Sciences
Syracuse University
Syracuse, New York 13244-1070 USA
Phone: +1 315 443 2871
Fax: +1 315 443 2619
E-mail: pgfitzge@syr.edu
Web: su-thermochronology.syr.edu

Fleischer, Robert L.

Department of Geology
Union College
Schenectady, NY 12308, USA
Phone: +1 518 388 6985
Fax: +1 518 388 6417
E-mail: fleischr@union.edu
Web: zircon.geology.union.edu/Fleischer.html

Fletcher, John M.

Departamento de Geología
Centro de Investigación Científica y de Educación Superior de
Ensenada
Km 107 Carr. Tijuana - Ensenada. Ensenada, B.C., México P.O. Box
430222, San Diego, CA 92143-0222, USA
Phone: +1 174 50 50 26031
Fax: +1 174 50 50 26021
E-mail: jfletche@cicese.mx
Web: geologia.cicese.mx/jfletche/jfletche.htm

Foland, Sara S.

Amoco Production Company
P.O. Box 800, Denver, CO 80201, USA
E-mail: sfoland@geosociety.org

Foster, David A.

Department of Geology
University of Florida
P.O. Box 112120, Gainesville, FL 32611-2120, USA
Phone: +1 352 392 2231
E-mail: dafoster@ufl.edu
Web: www.clas.ufl.edu/users/dfoster

Fowler, Andrew

Dept of Earth Sciences
University of Melbourne
Victoria 3010, Australia
Phone: +61 3 8344 7675
Fax: +61 3 8344 7761
E-mail: a.fowler@pgrad.unimelb.edu.au

Franks, Daniel

University of Queensland
St Lucia Brisbane QLD 4072, Australia
E-mail: danielfranks@hotmail.com

Fügenschuh, Bernhard

Geologisch Paläontologisches Institut
Universität Basel
Bernoullistrasse 32, Basel BS CH-4056, Switzerland
Phone: +41 61 267 86 10
Fax: +41 61 267 36 13
E-mail: bernhard.fuegenschuh@unibas.ch
Web: www.unibas.ch/earth/tecto/people/fuegenschuh.html

Galbraith, Rex F.

Department of Statistical Science
University College London
Gower Street, London, WC1E 6BT, UK
Phone: +44 20 7679 1859

Fax: +44 20 7383 4703

E-mail: rex@stats.ucl.ac.uk

Web: www.ucl.ac.uk/geolsci/research/fissiontrack/Personal/Rexpage/Rex.html

Gallagher, Kerry

Department of Earth Sciences and Engineering
Imperial College of Science, Technology and Medicine
Exhibition Road, London, SW7 2BT, UK
Phone: +44 20 759 46424
Fax: +44 20 759 46444
E-mail: kerry@ic.ac.uk; k.l.gallagher@ic.ac.uk
www.huxley.ic.ac.uk/research/Comp&Geophys/Geophys/maintext.php3

Ganzawa, Yoshiro

Hokkaido University of Education
1-2 Hachiman-cho, Hakodate, 040, Japan
Phone: +81 0138 41 1121
Fax: +81 0138 42 3982

Garver, John I.

Department of Geology
Union College
Schenectady, NY 12308-2311, USA
Phone: +1 518 388 6517
Fax: +1 518 388 6789
E-mail: garverj@union.edu
Web: zircon.union.edu/FT/FTHome.html

George, Annette

University of Western Australia
Department of Geology and Geophysics
Nedlands WA 6907, Australia
Phone: +61 (08) 9380 1923
Fax: +61 (08) 9380 1037
E-mail: ageorge@geol.uwa.edu.au
Web: www.geol.uwa.edu.au/~ageorge/ageorge.html

George, Pete

Department of Geological Sciences
University of Texas at Austin
Austin, TX 78712, USA
Web: www.geo.utexas.edu

Gibson, David

CRC LEME/AGSO
P.O. Box 378, Canberra ACT 2601, Australia
Phone: +61 2 6249 9748
Fax: +61 2 6249 9930
E-mail: dave.gibson@agso.gov.au
Web: leme.anu.edu.au

Gibson, Helen

Geotrack International Pty. Ltd.
37 Melville Road, West Brunswick, VIC 3055, Australia
Phone: +61 3 9380 1077
Fax: +61 3 9380 1477
E-mail: mail@geotrack.com.au
Web: www.geotrack.com.au

Giegengack, Robert

Department of Earth and Environmental Science
University of Pennsylvania
Philadelphia, PA 19104-6316, USA
Phone: +1 215 898 5191
Fax: +1 215 573 9145
E-mail: gieg@sas.upenn.edu
Web: www.sas.upenn.edu/earth/giegenga.html

Giles, Melvin R.

EPT-HM, Volmerlaan 8, Rijswijk, The Netherlands
E-mail: gilesm@siep.shell.com

Glasmacher, Ulrich

Forschungsstelle Archäometrie
Heidelberger Akademie der Wissenschaften
Saupfercheckweg 1, 69117 Heidelberg, Germany
Phone: +49 6221 516 321
Fax: +49 6221 516 633

E-mail: ua.glasmacher@mpi-hd.mpg.de
Web: www.haw.baden-wuerttemberg.de

Gleadow, Andrew J. W.

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 9866
Fax: +61 3 8344 7761
E-mail: gleadow@unimelb.edu.au
Web: web.earthsci.unimelb.edu.au/Gleadow/Gleadow.html

Gräfe, Kirsten

Geoforschungszentrum Potsdam
Telegrafenberg, Gebäude C122, D-14473 Potsdam, Germany
Phone: +49 331288 1315
Fax: +49 331288 1370
E-mail: graefe@gfz-potsdam.de
Web: www.gfz-potsdam.de/pb3/pb31/index-pb-en.html

Green, Paul F.

Geotrack International Pty. Ltd.
37 Melville Road, West Brunswick, VIC 3055, Australia
Phone: +61 3 9380 1077
Fax: +61 3 9380 1477
E-mail: mail@geotrack.com.au
Web: www.geotrack.com.au

Grimmer, Jens C.

Institut für Geologie
Technische Universität Bergakademie Freiberg
Bernhard-von-Cottastrasse 2, D-09596 Freiberg, Germany
Phone: +49 3731 394599
Fax: +49 3731 393597
E-mail: jens.grimmer@geo.tu-freiberg.de
Web: www.geo.tu-freiberg.de/tektono

Grist, Alexander M.

Department of Earth Sciences
Dalhousie University
Halifax, Nova Scotia, B3H 3J5, Canada
Phone: +1 902 494 2372
Fax: +1 902 494 6889
E-mail: agrist@is.dal.ca
Web: meguma.earthsciences.dal.ca/staff/grist.htm

Grivet, Manuel

Laboratoire de Microanalyses Nucléaires
U.F.R. des Sciences et des Techniques
Université de Franche-Comté
16 route de Gray, F-25030 Besançon Cedex, France
Phone: +33 3 81 66 65 01
Fax: +33 3 81 66 65 22
E-mail: manuel.grivet@univ-fcomte.fr
Web: www.univ-fcomte.fr

Guedes de Oliveira, Sandro

Departamento de Raios Cósmicos e Cronologia
Instituto de Física Gleb Wataghin
Universidade Estadual de Campinas
Caixa Postal 6165, CEP 13083-970 UNICAMP
Campinas, SP, Brazil
Phone: +55 19 788 5522
Fax: +55 19 788 5512
E-mail: guedes@ifi.unicamp.br
Web: www.ifi.unicamp.br/~turtelli/www0.htm

Guglielmetti, Alessandra

Instituto di Fisica Generale Applicata
Università degli Studi di Milano
Via Celoria 16, 20133 Milano, Italy
Phone: +39 02 266 6259
Fax: +39 02 266 5717
E-mail: guglielmetti@mi.infn.it
Web: albinoni.brera.unimi.it/istituto/istituto.htm

Gunnell, Yanni

Laboratoire de géographie physique

Universite Denis Diderot, Paris VII
1 Place Aristide Briand, 92195 Meudon Cedex, France
Phone: +33 1 4507 5552
E-mail: gunnell@paris7.jussieu.fr
Web: www.sigu7.jussieu.fr

Hadler Neto, Julio Cesar

Departamento de Raios Cósmicos e Cronologia
Instituto de Física Gleb Wataghin
Universidade Estadual de Campinas
Caixa Postal 6165, CEP 13083-970 UNICAMP,
Campinas, SP, Brazil
Phone: +55 19 788 5522
Fax: +55 19 788 5512
E-mail: hadler@ifi.unicamp.br
Web: www.ifi.unicamp.br/~turtelli/www0.htm

Hansen, Kirsten

Geologisk Centralinstitut
Oster Volgrade 10, DK-1350, København K, Denmark
Phone: +45 31 42 18 94
Fax: +45 33 14 84 33
E-mail: kirstenh@geo.geol.ku.dk

Harrison, Mark T.

Department of Earth and Space Sciences
University of California, Los Angeles
595 Charles Young Drive East, Los Angeles, CA 90095-1567, USA
Phone: +1 310 825 7970
Fax: +1 310 825 2779
E-mail: tmh@argon.ess.ucla.edu
Web: www.ess.ucla.edu/faculty/harrison

Hasebe, Noriko

Institute of Nature and Environmental Technology
Kanazawa University
Kanazawa 920-1192 Japan
Tel: +81-76-264-5727
Fax: +81-76-264-5746
E-mail: hasebe@kenroku.kanazawa-u.ac.jp

Hashemi-Nezhad, Reza S.

Department of High Energy Physics
School of Physics, University of Sydney
A28 Sydney, NSW 2006, Australia
Phone: +61 2 9351 5964
Fax: +61 2 9351 7727
E-mail: reza@physics.usyd.edu.au
Web: www.physics.usyd.edu.au/hienenergy/index.html

Hayashi, Masao

Kyushu Sangyo University
Fukuoka 813, Japan
Phone: +81 92 673 5883
Fax: +81 92 673 5899
Web: www.ip.kyusan-u.ac.jp/e/ksu-e.html

Hegarty, Kerry A.

Geotrack International Pty. Ltd.
37 Melville Road, West Brunswick, VIC 3055, Australia
Phone: +61 3 9380 1077
Fax: +61 3 9380 1477
E-mail: mail@geotrack.com.au
Web: www.geotrack.com.au

Hejl, Ewald R.

Institut für Geologie und Paläontologie
Universität Salzburg
Hellbrunnerstraße 34/III, A-5020 Salzburg, Austria
Phone: +43 662 8044 5437
Fax: +43 662 8044 621
E-mail: ewald.hejl@sbg.ac.at
Web: www.sbg.ac.at/gew

Hendriks, Bart W.H.

Norges Geologiske Undersøkelse
Leiv Eirikssons vei 39
7491 Trondheim, Norway

Tel.: +47 73904440
Mob.: +47 45261691
Fax.: +47 73921620
E-mail: bart.hendriks@ngu.no

Hill, Kevin C.

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 9708 /7675
Fax: +61 3 8344 7761
E-mail: kevin.hill@unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Himeno, Osamu

Department of Mining Engineering
Kyushu Sangyo University
Hakozaki, Fukuoka 812-81, Japan
Phone: +81 92 642 3635
E-mail: himeno@mine.kyushu-u.ac.jp

Hobro, James W. D.

Bullard Laboratories, Department of Earth Sciences
University of Cambridge
Madingley RoadCambridge CB3 0EZ, UK
Phone: +44 1223 337 191
Fax: +44 1223 360 779
Email: hobro@esc.cam.ac.uk
Web: bullard.esc.cam.ac.uk/~hobro

Honda, Teruyuki

Atomic Energy Research Laboratory
Musashi Institute of Technology
Kawasaki 215, Japan
Web: atomsun2.atom.musashi-tech.ac.jp

Hoshino, Hidehiro

Kanazawa University
Kakuma town, Kanazawa City, Ishikawa Pref. Japan
E-mail: hide43@nihonkai.kanazawa-u.ac.jp

House, Martha

Division of Geological and Planetary Sciences
California Institute of Technology
Caltech MS 100-23, Pasadena CA 91125, USA
Phone: +1 626 395 6023
Fax: +1 626 568 0935
E-mail: mhouse@gps.caltech.edu
Web: www.gps.caltech.edu/%7Emhouse

Huigen, Yvette

Department of Isotope Geochemistry
Faculty of Earth sciences
Vrije Universiteit Amsterdam
De Boelelaan 1085, Amsterdam 1081 HV, The Netherlands
Phone: +31 20 4447397
Fax: +31 20 6462457
E-mail: huiy@geo.vu.nl
Web: www.geo.vu.nl/~isotopen

Hungerbühler, Dominik

Department Erdwissenschaften
ETH-Zentrum
CH-8092, Zurich, Switzerland
Web: www.erdw.ethz.ch

Hurford, Anthony J.

London Fission Track Research Group
Department of Earth Sciences
University College London
London WC1E 6B, UK
Phone: +44 20 7679 7704
Fax: +44 20 7813 2802
E-mail: t.hurford@ucl.ac.uk
Web: www.ucl.ac.uk/geosci/research/fissiontrack/Indexpage/index.html

Indrelid, Sarah

Petroleum Development Oman
E-mail: sarah.sl.indrelid@pdo.com
Web: www.pdo.co.om

Iriarte, Sergio

Servicio Nacional de Geología y Minería
Av. Sta. Maria 0104, Casilla 10465, Providencia
Santiago de Chile
Phone: +56 2 737 5050
Fax: +56 2 777 1906
E-mail: SIrarte@sernageomin.cl
Web: www.sernageomin.cl/prototipo/index.htm

Issler, Dale R.

Natural Resources Canada
Geological Survey of Canada
3303-33rd St., NW Calgary, Alberta, T2L 2A7, Canada
Phone: +1 403 292 7172
Fax: +1 403 292 5377
E-mail: dissler@nrcan.gc.ca
Web: www.nrcan.gc.ca/gsc/calgary/index_e.html

Ito, Hisatoshi

Central Research Institute of Electric Power Industry
1646 Abiko, Abiko city, Chiba, 270-1194, Japan
Phone: +81 471 82 1181 ext. 8525
Fax: +81 471 83 3182
E-mail: ito_hisa@criepi.denken.or.jp
Web: criepi.denken.or.jp;
wwwsoc.nacsis.ac.jp/jseg/index-e.html

Iunes, P.J.

Departamento de Raios Cósmicos e Cronologia
Instituto de Física Gleb Wataghin
Universidade Estadual de Campinas
Caixa Postal 6165, CEP 13083-970 UNICAMP,
Campinas, SP, Brazil
Phone: +55 19 788 5522
Fax: +55 19 788 5512
E-mail: iunes@ifi.unicamp.br
Web: www.ifi.unicamp.br/~turtelli/www0.htm

Iwano, Hidekilwano, Hideki

Kyoto Fission-Track Co., Ltd.
44-4 Minamitajiri-cho, Omiya, Kita-ku
Kyoto 603-8832, Japan
Phone: +81-75-493-0684
Fax: +81-75-493-0741
E-mail: kyoto-ft@mb.newweb.ne.jp

Iwano, Hidekic

Kyoto Fission Track Co. Ltd.
44--4 Minamitajiri-cho, Omiya, Kita-ku,
Kyoto 603-8832, Japan
Phone: +81 75 493 0684
Fax: +81-75 493 0741
E-mail: kyoto-ft@mb.newweb.ne.jp

Jacobs, Joachim

Fachbereich 5, Geowissenschaften
Universität Bremen
Postfach 330440, D-28334 Bremen, Germany
Phone: +49 421 218 3993
Fax: +49 421 218 3995
E-mail: jojacobs@geopol.uni-bremen.de
Web: www.joachimjacobs.de/index.htm

Jaramillo, Jose M.

National University ,
Bogota, Colombia
E-mail: jose-maria.jaramillo@tepmanet.com

Johnson, Kit

London Fission Track Research Group
Department of Geological Sciences
University College London

London WC1E 6B, UK
Phone: +44 20 7594 6542
Fax: +44 20 7594 6464
E-mail: k.johnson@ic.ac.uk

Jolivet, Marc

Laboratoire Dynamique de la Lithosphère
UMR 5573, CNRS, UMII, Cc060
Université Montpellier II, 5, Pl. E. Bataillon
34095 MONTPELLIER cédex 05, FRANCE
Phone: +33 (0)4 67 14 37 28
Fax: +33 (0)4 67 52 39 08
E-mail: jolivet@dstu.univ-montp2.fr

Jonckheere, Raymond

Geologisches Institut
Technische Universität - Bergakademie Freiberg
Bernhard-von-Cotta-Straße 2
D-09599 Freiberg (Sachsen) Deutschland
Phone: +49 3731 393160
Fax: +49 3731 393597
E-mail: raymond.jonckheere@geo.tu-freiberg.de

Juez-Larre, Joaquim

Department of Isotope Geochemistry
Faculty of Earth sciences
Vrije Universiteit Amsterdam
De Boelelaan 1085, Amsterdam 1081 HV, The Netherlands
Phone: +31 20 444 7395
Fax: +31 20 646 2457
E-mail: juej@geo.vu.nl
Web: www.geo.vu.nl/~isotopen

Kamp, Peter J.J.

Department of Earth Sciences
University of Waikato
Private Bag 3105, Hamilton 2001, New Zealand
Phone: +64 7 838 4876
Fax: +64 7 856 0115
E-mail: p.kamp@waikato.ac.nz
Web: sci.waikato.ac.nz/cgi-bin/dynapage.pl?pagename=erth

Keay, Sue

Department of Earth Sciences
University of Queensland
St Lucia, Brisbane QLD 4072, Australia
Phone: +61 7 3365 8248
Fax: +61 7 3365 1277
E-mail: s.keay@earth.uq.edu.au
Web: www.earth.uq.edu.au

Ketcham, Richard A.

Department of Geological Sciences
University of Texas at Austin
Austin, TX 78712, USA
Phone: +1 512 471 0260
Fax: +1 512 471 9425
E-mail: richk@maestro.geo.utexas.edu
Web: www.geo.utexas.edu/scientist/ketcham.htm

Kelley, Shari A.

Department of Earth and Environmental Sciences
New Mexico Institute of Mining and Technology
801 Leroy Place, Socorro, NM 8780, USA
Phone: +1 505 661 6171
E-mail: sakelley@ix.netcom.com
Web: www.ees.nmt.edu/faculty/kelley.html

Kendrick, Dan

Department of Earth Sciences
La Trobe University
Bundoora, VIC 3083, Australia
Phone: +61 3 479 1273
Fax: +61 3 479 1272
E-mail: geordk@luff.latrobe.edu.au
Web: www.latrobe.edu.au/pesa/Research-ltu/Irian.html

Khattak, N.U.

Radiation Physics Division
PINSTECH, P.O. Nilore, Islamabad, Pakistan
Phone: +0092-051-2207725
E-mail: niamat@pinstech.org.pk

Kim, Joong Wook

Department of Science Education
Taegu National University of Education
Daemyung-2 Nam-gu, Taegu, 705-715, Korea
Phone: +82 53 620 1343
Fax: +82 53 620 1340
E-mail: jwkim@taekyo.taegu-e.ac.kr
Web: soback.komet.net/~jwkim5/g-hi.html

Kohn, Barry P.

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 7217 /7675
Fax: +61 3 8344 7761
E-mail: b.kohn@unimelb.edu.au
Web: www.agcrc.csiro.au/people/KohnBarry

Koshimizu, Satoshi

Yamanashi Institute of Environmental Sciences
5597-1 Kenmarubi, Kamiyoshida, Fujiyoshida, Yamanashi 403-0005
Japan
Phone: +81 555 72 6194
Fax: +81 555 72 6206
E-mail: koshi@yies.pref.yamanashi.jp
Web: www.yies.pref.yamanashi.jp/eigo/english.htm

Kounov Alexandre

Geology Institute
ETH-Zentrum
Sonneggstrasse 5, 8092, Zurich, Switzerland
Phone: +41 1632 3639
Fax: +41 1632 1080
E-mail: Kunov@eurasia.ethz.ch
Web: www.erdw.ethz.ch

Kowallis, Bart Joseph

Department of Geology
Brigham Young University
Provo, UT 84602, USA
Phone: +1 801 378 2467
Fax: +1 801 378 2265
E-mail: bkowallis@byu.edu; bart_kowallis@byu.edu
Web: geologyindy.byu.edu/faculty/bjk

Krochmal, Michael

Autoscan Systems Pty. Ltd.
P.O. Box 112, Ormond, VIC 3204 Australia
Phone: +61 39 596 8065 /8092
Fax: +61 39 596 8369
E-mail: autoscan@autoscan.com.au
Web: members.ozemail.com.au/~autoscan/index.html

Krugh, Chris

Institute of Geology, Department of Earth Sciences, ETH-Zentrum
Sonneggstrasse 5, 8092, Zürich, Switzerland
E-mail: krugh@erdw.ethz.ch

Krummei, Gerhard

Geological Society of Australia Incorporated
Victoria Division
GPO BOX 2355, Melbourne Vic 3001, Australia
Web: www.vic.gsa.org.au

Kumar, Devender

Scientist, Letter Box no. 11
National Geophysical Research Institute (NGRI)
Uppal Road, Hyderabad - 500 007 India
Phone: +91-40-27170141/27174433 extn: 2346/2347
Fax: +91-40-27171564/27170491
E-mail: devender@ngri.res.in, devngri@rediffmail.com

Laken, Garey

Autoscan Systems Pty. Ltd.
P.O. Box 112, Ormond, VIC 3204 Australia
Phone: +61 39 596 8065 /8092
Fax: +61 39 596 8369
E-mail: autoscan@autoscan.com.au
Web: members.ozemail.com.au/~autoscan/index.html

Lal, Nand

Department of Earth Sciences
Kurukshetra University
Kurukshetra 136119, India
Phone: +91 1 744 20410
Fax: +91 1 744 20277

Lange, Jan-Michael

Museum für Mineralogie und Geologie
Staatliche Naturhistorische Sammlungen Dresden
Königsbrücker Landstraße 159, D-01109 Dresden, Germany
Phone: +49 351 892 6403
fax: +49 351 892 6404
E-mail: lange@snsd.de
Web: www.snsd.de

Larsen, Ian

Autoscan Systems Pty. Ltd.
P.O. Box 112, Ormond, VIC 3204 Australia
Phone: +61 39 596 8065 /8092
Fax: +61 39 596 8369
E-mail: autoscan@autoscan.com.au
Web: members.ozemail.com.au/~autoscan/index.html

Laslett, Geoff

CSIRO Mathematical and Information Sciences
Private Bag 10, Clayton South MDC Vic 3169, Australia
Phone: +61 3 9545 8018
Fax: +61 3 9545 8080
E-mail: geoff.laslett@cmis.csiro.au
Web: www.cmis.csiro.au/Geoff.Laslett/index.htm

Lee, Yong I.

School of Earth and Environmental Sciences
Seoul National University, Korea
E-mail: lee2602@plaza.snu.ac.kr
Web: sees.snu.ac.kr/bken/index.html

Lewis, Cherry L.E.

History of Geology Group
The Geological Society of London
Wells Cottage, 21 Fowler Street, Macclesfield, Cheshire SK10 2AN, UK
Phone: +44 1625 260049
Fax: +44 1625 523690
E-mail: clewis@aol.com
Web: www.geolsoc.org.uk

Lim, Hyoun Soo

Lab. of Sedimentary System
School of Earth and Environmental Sciences
Seoul National University, NS80
Seoul 151-747, Korea
Phone: +82-2-878-0252
E-mail: tracker@freechal.com, tracker@nate.com

Link, Katharina

Institut für Mineralogie, Petrologie und Geochemie
Albert-Ludwigs-Universität
Albertstrasse 23b, 79104 Freiburg, Germany
Phone: +49 761 203 6425
Fax: +49 761 203 6396
E-mail: kalink@uni-freiburg.de
Web: www.uni-freiburg.de/minpet/welcome.html

Linn, Jon

Technical Applications and Geographic Information Systems Unit
West Virginia Department of Environmental Protection
10 McJunkin Rd, Nitro, WV 25143, USA

Phone: +1 304 759 0519
Fax: +1 304 759 0565
E-mail: jlinn@crimson.osmre.gov
Web: www.dep.state.wv.us/ito/tagis.html

Lisker, Frank

Fachbereich 5, Geowissenschaften
Universität Bremen
Postfach 330440, D-28334 Bremen, Germany
Phone: +49 421 218 3994
Fax: +49 421 218 3993
E-mail: flisker@uni-bremen.de
Web: www.palmod.uni-bremen.de/FB5/agpolar/englisch/index1.htm

Liu, Shunsheng

Changsha Institute of Geotectonics
Academia Sinica
Changsha 410013, Hunan Province, PR China
Phone: +86 731 885 9165
Fax: +86 731 885 9137
E-mail: liuss@ms.csig.ac.cn
Web: www.csig.ac.cn

Lopez, Arturo

Departamento de Estudios del Ambiente
Instituto nacional de investigaciones Nucleares
Apartado Postal 18-1027, México, D.F. 11801, Mexico
E-mail: arturo.lopez@mpi-hd.mpg.de
Web: www.inin.mx

Lorencak, Matevz

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 9669 /7675
Fax: +61 3 8344 7761
E-mail: m.lorencak@pgrad.unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Lovering, John

School of Earth Sciences
University of Melbourne
66A Molesworth Street, Kew Victoria 3101, Australia
phone: +61 3 9853 2868
Fax: +61 3 9853 3640
E-mail: fitzlove@alphalink.com.au

Lutz, Timothy M.

Department of Geology and Astronomy
West Chester University
West Chester, PA 19383, USA
Phone: +1 610 436 3498
E-mail: tlutz@wcupa.edu
Web: geology.wcupa.edu

Märk, E.

Höhere technische Bundeslehr- und Versuchsanstalt
Anichstrasse 26-28
A-6020 Innsbruck, Austria

Märk, T. D.

Abteilung für Kernphysik und Gaselektronik
Institut für Experimentalphysik
Leopold Franzens Universität
A-6020 Innsbruck, Austria

Mahon, Keith I.

Exxon Production Research Company
P.O. Box 2189, Houston, TX 77252-2189, USA
Phone: +1 713 965 7036
Fax: +1 713 965 2779
E-mail: kmahon@diaccess.com

Maksaev, Victor

Department of Geology
University of Chile
Casilla 13518, Correo 21, Santiago de Chile

Phone: +56 2 678 4112
Fax: +56 2 696 3050
E-mail: vmaksaev@tamarugo.cec.uchile.cl
Web: www.cec.uchile.cl/~geologia

Marshallsea, Susan

Geotrack International Pty. Ltd.
37 Melville Road, West Brunswick, VIC 3055, Australia
Phone: +61 3 9380 1077
Fax: +61 3 9380 1477
E-mail: mail@geotrack.com.au
Web: www.geotrack.com.

Maze, Will B.

Exxon Production Research
P.O. Box 2189, Houston, TX 77252-2189, USA
Phone: +1 713 965 7223
Fax: +1 713 965 7951

McCorkell, Robert

CANMET, Mineral Technology
Energy, Mines and Resources
555 Booth Street, Ottawa, Ontario K1A 0G1, Canada

McCulloh, Thane H.

7136 Aberdeen, Dallas, TX 75230, USA
Phone: +1 214 691 6809

McInnes, Brent

CSIRO Exploration and Mining
P.O. Box 136, North Ryde NSW 1670, Australia
Phone: +61 2 9490 8597
Fax: +61 2 9490 8921
E-mail: b.mcinnnes@dem.csiro.au
Web: www.dem.csiro.au

Miller, Elizabeth L.

Department of Geology and Environmental Sciences
Stanford University
Stanford, CA 94305-2115, USA
Phone: +1 650 723 1149
E-mail: miller@pangea.stanford.edu
Web: pangea.Stanford.EDU/structure/projects/fission_track.html

Miller, Jack A.

Department of Earth Sciences
University of Cambridge
Downing Street, Cambridge CB2 3EQ, UK
Phone: +44 1223 337 184
Fax: +44 1223 333 450
E-mail: jam2@esc.cam.ac.uk
Web: www.esc.cam.ac.uk

Moore, Marilyn

Geotrack International Pty. Ltd.
37 Melville Road, West Brunswick, VIC 3055, Australia
Phone: +61 3 9380 1077
Fax: +61 3 9380 1477
E-mail: mail@geotrack.com.au
Web: www.geotrack.com.au

Mora, Andr s

Institut f r Geowissenschaften
Universit t Potsdam
Postfach 60 15 53 D-14415, Potsdam, Germany
Phone: +49 331 977 2909
Fax: +49 331 977 5060
E-mail: mora@geo.uni-potsdam.de

Mora, Jorge

Thermochronology Laboratory
Escuela de Geologia, Minas y Geofisica
Facultad de Ingenieria
Universidad Central de Venezuela
Caracas, Venezuela
E-mail: jlmoram@hotmail.com
Web: www.ing.ucv.ve/depgeo.htm

Moser, Franz

Institut f r Geologie und Pal ontologie
Eberhard Karls Universit t T bingen
Sigwartstrasse 10, D-72076 T bingen, Germany
Phone: +49 7071 2975 240
Fax: +49 7071 5059
E-mail: franz.moser@uni-tuebingen.de
Web: homepages.uni-tuebingen.de/franz.moser

Most, Thomas

Institut f r Geologie und Pal ontologie
Eberhard Karls Universit t T bingen
Sigwartstrasse 10, D-72076 T bingen, Germany
Phone: +49 7071 2975 240
Fax: +49 7071 5059
E-mail: thomas.most@uni-tuebingen.de
Web: homepages.uni-tuebingen.de/thomas.most

Murakami, Masaki

Department of Geology and Mineralogy
Division of Earth and Planetary Sciences
Graduate School of Science, Kyoto University
Sakyo-ku, Kyoto 606-8502, Japan
E-mail: s30x1176@ip.media.kyoto-u.ac.jp
Web: terra.kueps.kyoto-u.ac.jp/index_eg.html

Murphy, John M.

3901 Goodell Lane
Ft. Collins, CO 80526-2924, USA
Phone: +1-970 282 9570
E-mail: zutfripple@cs.com

Murrell, Glen

Department of Isotope Geochemistry
Faculty of Earth sciences
Vrije Universiteit Amsterdam
De Boelelaan 1085, Amsterdam 1081 HV, The Netherlands
Phone: +31 20 444 7310
Fax: +31 20 646 2457
E-mail: murg@geo.vu.nl
Web: www.geo.vu.nl/~isotopen

Murtazaev, Khatam

General Physics Sub-Faculty
Khujand State University,
735700, Khujand, Tajikistan
Phone: (+992 3422) 53212, 23775
E-mail: murtaza@hotmail.khj.td.silk.org
murtaza@khj.tajik.net

Naeser, Chuck

Naeser, Nancy

U.S. Geological Survey
926a National Center, Reston, VA 20192, USA
Phone: +1 703 648 6964 (C)
Phone: +1 703 648 5328 (N)
Fax: +1 703 648 6953
E-mail: cnaeser@usgs.gov (C)
nnaeser@usgs.gov (N)

Web: greenwood.cr.usgs.gov/capabilities/gronemtrac/geochron/
fission/contacts.html

Neumann, Reinhard

Materials Research
Gesellschaft f r Schwerionenforschung
Planckstrasse 1, D-64291 Darmstadt, Germany
Phone: +49 6159 71 2172
Fax: +49 6159 71 3266
E-mail: r.neumann@gsi.de
Web: www-wnt.gsi.de/mr

Nishimura, Susumu

Department of Geology and Mineralogy
Division of Earth and Planetary Sciences
Graduate School of Science, Kyoto University
Sakyo-ku, Kyoto 606-8502, Japan
Phone: +81 75 753 4150

Fax: +81 75 753 4189
Web: terra.kueps.kyoto-u.ac.jp/index_eg.html

Noble, Wayne P.

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 9788 /7675
Fax: +61 3 8344 7761
E-mail: w.noble@earthsci.unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Oddone, Massimo

Dipartimento di Chimica Generale
Università degli Studi di Pavia
Viale Taramelli, 12, 27100 Pavia, Italy
Phone: +39 382 507 334
Fax: +39 382 528 544
E-mail: oddone@ipv36.unipv.it
Web: chifis1.unipv.it/genchem.htm

Ohira, Hiroto

Department of Geoscience
Shimane University
1060 Nishikawatsu, Matsue 690-8504, Japan
Phone: +81 852 32 6465
Fax: +81 852 32 6469
E-mail: ohira@riko.shimane-u.ac.jp
Web: terra.riko.shimane-u.ac.jp

Olesch, Martin

Fachbereich 5, Geowissenschaften
Universität Bremen
Postfach 330440, D-28334 Bremen, Germany
Phone: +49 421 218 3940
Fax: +49 421 218 3993
E-mail: olesch@geopol.uni-bremen.de
Web: www.palmod.unibremen.de/FB5/agpolar/englisch/index1.htm

Omar, Gomaa I.

Department of Earth and Environmental Science
University of Pennsylvania
240 South 33rd Street, Philadelphia, PA 19104-6316, USA
Phone: +1 215 898 6908
Fax: +1 215 898 0964
E-mail: gomar@sas.upenn.edu
Web: www.sas.upenn.edu/earth/omar.html

Ono, Masako

Department of Earth and Planetary Materials Science
Faculty of Science, Hokkaido University
Kyoyo-chigaku, N17-W8, Kita-ku, Sapporo, 060, Japan
Phone: +81 11 716 2111 ext. 5309
Fax: +81 11 736 3290
E-mail: mo@epms.hokudai.ac.jp
Web: www.ep.sci.hokudai.ac.jp/epms/index_e.htm

Osadetz, Kirk

Energy and Environment
Geological Survey of Canada
3303-33rd St., NW Calgary, Alberta, T2L 2A7, Canada
Phone: +1 403 292 7022
Fax: +1 403 292 7159
E-mail: kosadetz@nrcan.gc.ca
Web: www.nrcan.gc.ca/gsc/calgary/index_e.html

O'Sullivan, Paul

Apatite to Zircon, Inc.
1521 Pine Cone Road, Moscow, ID 83843, USA
Phone: +1 208 892-1493
Fax: +1 208 875-8881
E-mail: OSullivan@apatite.com
Web: http://www.apatite.com

Pagel, Maurice

Laboratoire de Géochimie
Faculté des sciences d'Orsay

Université Paris Sud XI
Bâtiment 504, F-91405 Orsay-Cedex, France
Phone: +33 1 6915 6755
Fax: +33 1 6815 4882
E-mail: pagel@geol.u-psud.fr
Web: geosciences.geol.u-psud.fr/recherch/weblab/pagel.html

Pagliuca, Renato

Dipartimento di Scienze della Terra
Università degli Studi di Pavia
Via Ferrata 1, 27100 Pavia, Italy
Phone: +39 382 505 839
Fax: +39 382 505 890
E-mail: ullayu@tin.it
Web: manhattan.unipv.it

Pain, Colin

Cooperative Research Centre for Landscape Environments & Mineral
Exploration (CRC LEME)
GPO Box 378, Canberra, ACT 2601, Australia
Tel: +61 (02) 6249 9469
Fax: +61 (02) 6249 9930
Mob: +61 0409 225 008
Email: Colin.Pain@ga.gov.au
Web: http://leme.anu.edu.au/staff/pain.html

Pan, Yun

Department of Geological Sciences
State University of New York at Albany
DEAS - ES351, Albany, NY 12222, USA
E-mail: ypan@spsu.edu; ynatl@bellsouth.net

Parand, Simon

Geological Survey of Iran
Meraj Blvd., Azadi Sq., P.O. Box 13185-1494 Tehran, Iran
Fax: +98 21 600 9338
Web: www.gsi-iran.org

Parra, Mauricio

Institut für Geowissenschaften
Universität Potsdam
Postfach 60 15 53, D-14415 Potsdam, Germany
Phone: +49 331 977 2909
Fax: +49 331 977 5060
E-mail: mauricio@geo.uni-potsdam.de

Paul, Tracy A.

Department of Chemistry
Arizona State University
Tempe, AZ 85287-1404, USA
E-mail: agtxp@asu.edu

Pengji, Zhai

Institute of High Energy Physics
Academia Sinica
P.O. Box 2732, Beijing 100080, PR China
Web: www.ihepa.ac.cn

Perelygin, Vladimir P.

Flerov Laboratory of Nuclear Reactions
Joint Institute for Nuclear Research
Post Office Box 79, 101 000 Moscow, Russia
Phone: +7 096 216 2102
Fax: +7 096 216 5955
E-mail: pergam@cv.jinr.ru
Web: sungraph.jinr.dubna.su/cap/index.html

Perez De Armas, Jaime G.

Department of Earth Science
Rice University
6100 Main St, Houston, TX 77005-1892, USA
Phone: +1 713 348 4880
Fax: +1 713 348 5214
E-mail: jaime@rice.edu
Web: terra.rice.edu

Petford, Nick

Centre for Earth and Environmental Science Research
School of Earth Sciences and Geography

Kingston University
Penrhyn Road, Kingston on Thames, Surrey, KT1 2EE, UK
Phone: +44 208 547 7518
Fax: +44 208 547 7497
E-mail: n.pet@kingston.ac.uk
Web: www.king.ac.uk/geog

Poupeau, Gerard R.

Centre de Recherche Physique Appliquée à l'Archéologie
Université Michel de Montaigne Bordeaux III
Maison de l'Archéologie, Esplanade des Antilles, 33607 Pessac, France
Phone: +33 5 5712 4547
Fax: +33 5 5712 4553
E-mail: gerard.Poupeau@montaigne.u-bordeaux.fr
Web: www.montaigne.u-bordeaux.fr/Rech/page12.html

Prashad, Rajinder

Fission Track Laboratory
Keshav Deva Malaviya Institute of Petroleum Exploration
Oil and Natural Gas Corporation
Dehradun, India
Web: www.ongcindia.com/r&d/ois/kdmip

Price, P. Buford

Department of Physics
University of California
Berkeley, CA 94720, USA
Phone: +1 510 642 4982
Fax: +1 510 643 8497
E-mail: bprice@uclink4.berkeley.edu; price@lbl.gov
Web: physics.berkeley.edu/research/price

Puch, Thomas

Institut für Geologie und Paläontologie
Karl-Franzens Universität
Heinrichstraße 26, A-8010 Graz, Austria

Qvale, Henning

Institute for Energy Technology
P.O. Box 40, N 2007, Kjeller, Norway
Phone: +47 6380 6122
Fax: +47 6381 5553
E-mail: hq@varmey.ife.no
Web: www.ife.no/english

Raab, Matthias

Göttinger Zentrum für Geowissenschaften
Georg-August-Universität Göttingen
Goldschmidtstrasse 3, D-37077 Göttingen, Germany
Phone: +49 551 399 707
Fax: +49 551 399 700
E-mail: mraab@gwdg.de

Meinert Rahn

HSK
5232 Villigen-HSK
Switzerland
phone: +41 56 310 39 03
fax: +41 56 310 49 03
E-mail: rahn@hsk.psi.ch

Ramachandran, T.V.

Environmental Assessment Division
Bhabha Atomic Research Center
Mumbai 400 085, India
E-mail: tvr@apsara.barc.ernet.in

Ratschbacher, Lothar

Tektonophysik - Institut für Geologie
Technische Universität Bergakademie Freiberg
Bernhard-von-Cottastrasse 2, D-09596 Freiberg, Germany
Phone: +49 3731 393 758
Fax: +49 3731 393 295
E-mail: lothar@geo.tu-freiberg.de
Web: www.geo.tu-freiberg.de/tektono

Ravenhurst, Casey E.

Department of Geology and Geography

University of Massachusetts
Amherst, MA 01003, USA
E-mail: cravenhu@geo.umass.edu
Web: www.geo.umass.edu

Rawling, Tim

Australian Crustal Research Centre
Monash University
Wellington Road, Clayton VIC 3800, Australia
Fax: +61 3 9905 5062
E-mail: timr@mail.eearth.monash.edu.au
Web: www.eearth.monash.edu.au/agrc/people/tim_rawling

Raza, Asaf

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 9977 /7675
Fax: +61 3 8344 7761
E-mail: asaf@unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Rebetez, Michel

Laboratoire de Microanalyses Nucléaires
U.F.R. des Sciences et des Techniques
Université de Franche-Comté
16 Route de Gray, 25030 Besancon Cedex, France
Phone: +33 3 81 66 65 01
Fax: +33 3 81 66 65 22
E-mail: michel.rebetez@univ-fcomte.fr
Web: www.univ-fcomte.fr

Redfield, Thomas F.

Technical Exploration Services
5 Frost Court, Mill Valley, CA 94941, USA

Reinecker, John

Institut für Geologie und Paläontologie
Eberhard Karls Universität Tübingen
Sigwartstrasse 10, D-72076 Tübingen, Germany
Fax: +49 7071 5059
E-mail: john.reinecker@gpi.uni-karlsruhe.de
Web: www.uni-tuebingen.de/geo/gpi

Reiners, Peter

Department of Geology and Geophysics
Yale University
P.O. Box 208109, New Haven, CT 06520-8109, USA
Phone: +1 203 432-3761
E-mail: peter.reiners@yale.edu
Web: www.geology.yale.edu/~reiners/

Rielly, Jane

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 7673 /7675
Fax: +61 3 8344 7761
E-mail: j.rielly@pgrad.unimelb.edu.au
Web: www.earthsci.unimelb.edu.au

Riley, Brook

Department of Geological Sciences
University of Texas at Austin
Austin, TX 78712, USA
Fax: +1 512 471 9425
E-mail: bcdr@mail.utexas.edu
Web: www.geo.utexas.edu

Ring, Uwe

Institut für Geowissenschaften
Johannes Gutenberg Universität
Becherweg 21, D-55099 Mainz, Germany
Phone: +49 6131 392 2164
Fax: +49 61 31 392 4372
E-mail: ring@mail.uni-mainz.de
Web: www.uni-mainz.de/~ring

Roden-Tice, Mary, K.

Center for Earth and Environmental Science
State University of New York Plattsburgh
101 Broad Street, Plattsburgh, NY 12901, USA
Phone: +1 518 564 2019
Fax: +1 518 564 3152
E-mail: mary.rodentice@plattsburgh.edu
Web: faculty.plattsburgh.edu/mary.rodentice

Ruiz, Geoffrey

Isotope Geochemistry
Faculty of Earth and Life Sciences
Vrije University Amsterdam
De Boelelaan 1085, 1081 HV AMSTERDAM, The Netherlands
Phone: +31-(0)20-44-47-326
Mobile: +31-(0)6-11-02-81-54
Fax: +31-(0)20-64-62-457
E-mail: ruig@geo.vu.nl

Saini, Hari Singh

Department of Radiometric Dating
Birbal Sahni Institute of Palaeobotany
53 University Road, Lucknow 226 007, India
Web: www.bsip-india.org

Sandhu, Amanjit

Environmental Sciences, Physical Sciences Division
University of Toronto
Scarborough Campus, 1265 Military Trail, Scarborough, ON M1C 1A4, Canada
Fax: +1 416 287 7279
E-mail: amanjitsandhu@usa.net
Web: glacier.scar.utoronto.ca

Schäfer, Thorsten

Fachbereich 5, Geowissenschaften
Universität Bremen
Postfach 330440, D-28334 Bremen, Germany
Phone: +49 421 218 3994
Fax: +49 421 218 3993
E-mail: postgrad@geopol.unibremen.de
Web: www.palmod.uni-bremen.de/FB5/agpolar/englisch/index1.htm

Schierl, Heimo

Institut für Geologie und Paläontologie
Universität Salzburg
Hellbrunnerstraße 34/III, A-5020 Salzburg, Austria
Phone: +43 662 8044 5437
Fax: +43 662 8044 621
Web: www.sbg.ac.at/gew

Schuller, Volker

Institut für Geologie und Paläontologie
Eberhard Karls Universität Tübingen
Sigwartstrasse 10, D-72076 Tübingen, Germany
Phone: +49 7071 2975 240
Fax: +49 7071 5059
E-mail: volker.schuller@uni-tuebingen.de
Web: www.uni-tuebingen.de/geo/gpi/ag-frisch/mitarbeiter/schuller

Schwab, Martina

Institut für Geologie und Paläontologie
Eberhard Karls Universität Tübingen
Sigwartstrasse 10, D-72076 Tübingen, Germany
Phone: +49 7071 2974 703
Fax: +49 7071 5059
E-mail: martina.schwab@uni-tuebingen.de
Web: www.uni-tuebingen.de/geo/gpi/index.html

Schwabe, Erika

Heroy Geology Laboratory
Department of Earth Sciences
Syracuse University
Syracuse, New York 13244-1070 USA
Phone: +1 315 443 3828
Fax: +1 315 443 3363

E-mail: eschwabe@syr.edu
Web: su-thermochronology.syr.edu

Sekyra, Gerd

Institut für Geologie und Paläontologie
Universität Salzburg
Hellbrunnerstraße 34/III, A-5020 Salzburg, Austria
Phone: +43 662 8044 5437
Fax: +43 662 8044 621
Web: www.sbg.ac.at/gew

Sélo, Madeleine

Laboratoire de Minéralogie
Muséum d'Histoire Naturelle
61 Rue Buffon, 75231 Paris Cedex 05, France
Fax: +33 1 40 79 35 24
E-mail: selo@mnhn.fr
Web: www.mnhn.fr/mnhn/mineralogie

Seward, Diane

Institute of Geology, Department of Earth Sciences
ETH-Zentrum
Sonneggstrasse 5, 8092, Zürich, Switzerland
Phone: +41 1 632 3675
Fax: +41 1 632 1080
E-mail: diane.seward@erdw.ethz.ch; diane@erdw.ethz.ch
Web: www.erdw.ethz.ch

Shane, Phil

School of Environmental and Marine Sciences
University of Auckland
Tamaki, Private Bag 92019, Auckland, New Zealand
Phone: +64 9 373 7599 ext. 6821
Fax: +64 9 373 7042
Web: sems.auckland.ac.nz

Siddall, Ruth

Fission Track Research Group
Department of Earth Sciences
University College London
London WC1E-6B, UK
Phone: +44 20 7679 2758
Fax: +44 20 7813 2802
E-mail: r.siddall@ucl.ac.uk
Web: www.ucl.ac.uk/geolsci/research/fissiontrack/Personal/Ruthpage/RS.html

Singh, Gurinder

Department of Physics
Guru Nanak Dev University
Amritsar 143005, India

Sobel, Edward

Institut für Geowissenschaften
Universität Potsdam
Postfach 60 15 53, D-14415 Potsdam, Germany
Phone: +49 331 977 5403
Fax: +49 331 977 5060
E-mail: sobel@rz.uni-potsdam.de
Web: www.geo.uni-potsdam.de/Personal/personal.html

Sohrabi, Mehdi

Radiation Protection Department
Atomic Energy Organization of Iran
P.O. Box 14155-4494, Tehran, Iran
Fax: +98 21 690 6095
Email: aeocom@dcir.ir

Soloviev, Alexie

Institute of the Lithosphere of Marginal and Inland Seas
Russian Academy of Sciences
Staromonetny per. 22, Moscow, 109180, Russia
Web: isir.ras.ru/en

Sorkhabi, Rasoul B.

Energy & Geoscience Institute
University of Utah
423 Wakara Way, Suite 300
Salt Lake City, Utah 84108-3537, USA

Phone: +1 801 587 9070
Fax: +1 801 585 3540
E-mail: rsorkhabi@egi.utah.edu

Spiegel, Cornelia

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 6521
Fax: +61 3 8344 7761
E-mail: cspiegel@unimelb.edu.au

Spikings, Richard

Section des Sciences de la Terre
University of Geneva
13 Rue des Maraichers
1211 Geneva 4, Switzerland
Phone: Lab +41 22 702 6639
Office +41 22 702 6826
Fax: +41 22 320 5732
E-mail: Richard.Spikings@terre.unige.ch

Stapel, Gerco

Department of Isotope Geochemistry
Faculty of Earth sciences
Vrije Universiteit Amsterdam
De Boelelaan 1085,
Amsterdam 1081 HV, The Netherlands
Fax: +31 20 646 2457
E-mail: stag@geo.vu.nl
Web: www.geo.vu.nl/~isotopen

Steckler, Michael S.

Lamont-Doherty Earth Observatory
Columbia University
Palisades, NY 10964, USA
Phone: +1 914 365 8479
Fax: +1 914 365 8179
E-mail: steckler@ldeo.columbia.edu
Web: www.ldeo.columbia.edu

Stiberg, Jan-Petter

Fission and Vision AS
Ammerudgrenda 271, 0960 Oslo, Norway
E-mail: fission@online.no

Stockli, Daniel

Department of Geology
University of Kansas
1475 Jayhawk Boulevard
120 Lindley Hall
Lawrence, KS 66045-7613
E-mail: stockli@ku.edu
Lindley office: (785) 864-4995
IGL Office: (785) 864-7714
Lab: (785) 864-7709
Fax: (785) 864-5276
Web: <http://www.people.ku.edu/~stockli/>

Stockmal, Glen S.

Institute of Sedimentology and Petroleum Geology Geological
Survey of Canada
3303-33rd Street, N.W., Calgary, Alberta T2L 2A7, Canada
Phone: +1 403 292 7173
Fax: +1 403 292 5377
E-mail: gstockma@nrcan.gc.ca
Web: www.nrcan.gc.ca/gsc/calgary/staff/stockmal_e.html

Stone, John

Department of Geological Sciences
University of Washington
P.O. Box 351310, Seattle Washington 98195-1310, USA
Phone: +1 206 685 9514
Fax: +1 206 543 3836
E-mail: stone@geology.washington.edu
Web: www.geology.washington.edu/faculty/stone-bio.html

Storzer, Dieter

Laboratoire de Minéralogie
Muséum d'Histoire Naturelle
61 Rue Buffon, 75231 Paris Cedex 05, France
Fax: +33 1 40 79 35 24
E-mail: storzer@mnhn.fr
Web: www.mnhn.fr/mnhn/mineralogie

Stump, Edmund

Department of Geological Sciences
Arizona State University
Box 871404, Tempe, AZ 85287-1404, USA
Phone: +1 480 965 3971
Fax: +1 480 965 8102
E-mail: ed.stump@asu.edu
Web: geology.asu.edu/people/faculty/stump/index.html

Stüwe, Kurt

Institut für Geologie und Paläontologie
Karl-Franzens Universität
Heinrichstraße 26, A-8010 Graz, Austria
Phone: +43 316 380 5682
Fax: +43 316 380 9870
E-mail: kurt.stuewe@kfunigraz.ac.at
Web: wegener.kfunigraz.ac.at

Sumii, Tomoaki

Geochemistry Department
Geological Survey of Japan
1-1-3 Higashi, Tsukuba, 305, Japan
Phone: +81 298 54 3558
Fax: +81 298 54 3533
E-mail: sumii@gsj.go.jp
Web: www.aist.go.jp/gsj/dgc/chemtop.htm

Summerfield, Michael A.

Department of Geography
School of Earth Sciences
University of Edinburgh
Edinburgh EH8 9XP, UK
Phone: +44 131 650 2519
Fax: +44 131 650 2524
E-mail: mas@geo.ed.ac.uk
Web: www.geo.ed.ac.uk/home/geoghome.html

Suzuki, Masao

Rikkyo University
34-1 Nishi Ikebukuro, 3-Chome, Toshima-ku
Tokyo 171, Japan
Web: www.rikkyo.ne.jp/~koho/englishpages.htm

Suzuki, Tatsuo

Department of Geology
Faculty of Education, Kagoshima University
Korimoto 1-20-6, Kagoshima 890-0065, Japan
Phone: +81 99 285 7807
Fax: +81 99 285 7807
E-mail: t_suzuki@edu.kagoshima-u.ac.jp
Web: www.edu.kagoshima-u.ac.jp/english.html

Tagami, Takahiro

Department of Geology and Mineralogy
Kyoto University
Kitashirakawa Oiwakecho, Sakyo-ku, Kyoto
606-8502, Japan
Phone: +81 75 753 4153
Fax: +81 75 753 4189
E-mail: tagami@terra.kueps.kyoto-u.ac.jp
Web: www.kueps.kyoto-u.ac.jp/~tagami/

Talbot, James

K/T GeoServices Inc.
P.O. Box 126, Argyle, TX 76226-0126, USA
Phone: +1 214 403 6342
Fax: +1 940 387 9980
E-mail: james@ktgeo.com
Web: www.ktgeo.com/tCI.html

Tamanyu, Shiro

Geothermal Resources Research Group
 Institute for Geo-resources and Environment
 National Institute of Advanced Industrial Science and Technology
 Central 7, 1-1-1 Higashi, Tsukuba, 305-8567, Japan
 Phone: +81 298 61 3941 /3737
 Fax: +81 298 61 3717
 E-mail: s.tamanyu@aist.go.jp
 Web: unit.aist.go.jp/georeserv/English/index.html

Tello Sáenz, Carlos A.

Departamento de Raios Cósmicos e Cronologia
 Instituto de Física Gleb Wataghin
 Universidade Estadual de Campinas
 Caixa Postal 6165, CEP 13083-970 UNICAMP,
 Campinas, SP, Brazil
 Phone: +55 19 788 5522
 Fax: +55 19 788 5512
 E-mail: saenz@ifi.unicamp.br
 Web: www.ifi.unicamp.br/~turtelli/www0.htm

Thiede, Rasmus

Institut für Geowissenschaften
 Universität Potsdam
 Postfach 60 15 53, D-14415 Potsdam, Germany
 Phone: +49 331 977 2908
 Fax: +49 331 977 5060
 E-mail: thiede@geo.uni-potsdam.de

Thomson, Stuart

Department of Geology & Geophysics
 Yale University
 P.O. Box 208109
 New Haven, CT 06520-8109, USA
 Phone: +1 203 432 8343
 E-mail: stuart.thomson@yale.edu

Tingate, Peter

National Centre For Petroleum Geology and Geophysics
 Thebarton Campus
 University of Adelaide
 Adelaide SA 5005, Australia
 Phone: +61 8 8303 4296
 Fax: +61 8 8303 4345
 E-mail: peter.tingate@adelaide.edu.au
 Web: www.ncpgg.adelaide.edu.au/staff/peter_tingate.htm

Tonk, Christian

Museum für Mineralogie und Geologie
 Staatliche Naturhistorische Sammlungen Dresden
 Königsbrücker Landstraße 159, 01109 Dresden, Germany
 Phone: +49 351 892 6424
 fax: +49 351 892 6424
 E-mail: tonk@snsd.de
 Web: www.snsd.de

Toro Villegas, Gloria E.

Departamento de Geología
 Escuela de Administración, Finanzas y Tecnologías Universidad
 EAFIT
 A.A. 3300, Medellín, Colombia
 Phone: +57 4 26 60 500 Ext. 352
 E-mail: gtoro@eafit.edu.co; gtoro@sigma.eafit.edu.co
 Web: www.eafit.edu.co/departamentos/geologia

Trautmann, Christina

Materials Research
 Gesellschaft für Schwerionenforschung
 Planckstrasse 1, D-64291 Darmstadt, Germany
 Phone: +49 6159 71 2716
 Fax: +49 6159 71 3266
 E-mail: c.trautmann@gsi.de
 Web: www-wnt.gsi.de/mr

Trautwein, Britta

Institut für Geologie und Paläontologie
 Eberhard Karls Universität Tübingen

Sigwartstrasse 10, D-72076 Tübingen, Germany
 Phone: +49 7071 2974 702
 Fax: +49 7071 5059
 E-mail: britta.trautwein@uni-tuebingen.de
 Web: www.uni-tuebingen.de/geo/gpi/ag-frisch/mitarbeiter/trautwein

Van den haute, Peter

Geologisch Instituut
 Universiteit Gent
 Krijgslaan 281 (S8), B-9000 Gent, Belgium
 Phone: +32 9 264 4592
 Fax: +32 9 264 4984
 E-mail: peter.vandenhaute@rug.ac.be
 Web: allserv.rug.ac.be/~fmees/mineralogy.htm

van der Beek, Peter

Labo de Géodynamique des Chaînes Alpines
 Observatoire des Sciences de l'Univers Grenoble
 Université Joseph Fourier
 Maison des Géosciences, BP 53, 38041 Grenoble, France
 Phone: +33 476 514 062
 Fax: +33 476 514 058
 E-mail: pvdbeek@ujf-grenoble.fr
 Web: www.univsavoie.fr/labs/lgca/perso/cherch/pvand/pvand.htm

Van der Wateren, F. M.

Department of Isotope Geochemistry
 Faculteit Aardwetenschappen
 Vrije Universiteit Amsterdam
 De Boelelaan 1085, 1081 HV Amsterdam, The Netherlands
 Fax: +31 20 646 2457
 Web: www.geo.vu.nl/~isotopen

Vasconcelos, Paulo

Department of Earth Sciences
 University of Queensland
 St Lucia, Brisbane QLD 4072, Australia
 Phone: +61 7 3365 2297
 Fax: +61 7 3365 1277
 E-mail: p.vasconcelos@earth.uq.edu.au;
 paulo@bgc.org
 Web: www.earth.uq.edu.au

Ventura, Barbara

Fachbereich 5, Geowissenschaften
 Universität Bremen
 Postfach 330440, D-28334 Bremen, Germany
 Phone: +49 421 218 3994
 Fax: +49 421 218 3993
 E-mail: bventura@geopol.uni-bremen.de
 Web: www.palmod.unibremen.de/FB5/agpolar/englisch/index1.htm

Vidal, Olivier

Laboratoire de Géodynamique des Chaînes Alpines
 Université Joseph Fourier, Maison des Géosciences
 1381 Rue de la Piscine, 38400 St-Martin d'Hères, France
 Phone: +33 4 76 63 59 24
 Fax: +33 4 76 51 40 58
 E-mail: Olivier.Vidal@ujf-grenoble.fr
 Web: www.univsavoie.fr/labs/lgca/perso/cherch/ovid/ovid.htm

Viola, Giulio

Dep. of Geological Sciences
 University of Cape Town
 7701 Rondebosch
 South Africa
 Phone: 0027-21-6502928
 Fax: 0027-21-6503783
 E-mail: gviola@geology.uct.ac.za
 www: http://www.uct.ac.za/depts/geols/ctgiulio/webpage.htm

Virk, H. S.

Department of Physics
 Guru Nanak Dev University
 Amritsar 143005, India

Wadatsumi, Kiyoshi

Department of Geosciences
Osaka City University
3-3-138 Sugimoto, Sumiyoshi-ku, Osaka 558 Japan
Phone: +81 6 605 2593
Fax: +81 6 605 3071
E-mail: h1602@ocugw.cc.osaka-cu.ac
Web: www.sci.osaka-cu.ac.jp/geos/english/geoeng.html

Wagner, Martin

Institut für Petrographie und Geochemie
Universität Karlsruhe
Kaiserstrasse 12, D-7500 Karlsruhe, Germany

Wagner, Günther A.

Max-Planck-Institut für Kernphysik
Postfach 103980, D-69029 Heidelberg, Germany
Phone: +49 6221 516 289
Fax: +49 6221 516 633
E-mail: g.wagner@mpi-hd.mpg.de
Web: www.mpi-hd.mpg.de/english/index.html

Walgenwitz, Frederic

CSTJF Elf Aquitaine Production
Avenue Larribau, 64018 Pau Cedex, France
E-mail: frederic.walgenwitz@elf-p.fr

Walker, J. Douglas

Department of Geology
University of Kansas
120 Lindley Hall, Lawrence, KS 66045-2969, USA
Phone: +1 785 864 2735
Fax: +1 785 864 5276
E-mail: jdwalker@ukans.edu
Web: www.ukans.edu/~geology

Walker, Robert M.

McDonnell Center for Space Sciences
Physics Department
Washington University
1 Brookings Drive, St. Louis, MO 63130-4899, USA
Phone: +1 314 935 6257
Fax: +1 314 935 4083
E-mail: brw@wuphys.wustl.edu
Web: www.physics.wustl.edu/fac/walker.html

Wallace, Wesley K.

Department of Geology and Geophysics
University of Alaska
Fairbanks, AK 99775-5780, USA
Phone: +1 907 474 5386
Fax: +1 907 474 5163
E-mail: wes.wallace@gi.alaska.edu
Web: www.gi.alaska.edu/tsrg/people/wallace

Walter, Robert

Institute of Human Origins
1288 Ninth Street, Berkeley, CA 94709-1211, USA
Phone: +1 510 525 0500
Fax: +1 510 525 0668
E-mail: bwalter@iho.org

Wang, Shicheng

Institute of High Energy Physics
Chinese Academy of Sciences
P.O. Box 2732, Beijing 100080, P.R. China
E-mail: wangshch@ihepa.ac.cn
Web: www.ihep.ac.cn/english/index.htm

Waraich, R. S.

Fission Track Laboratory
Keshav Deva Malaviya Institute of Petroleum Exploration
Oil and Natural Gas Corporation
Dehradun, India
Web: www ONGCindia.com/r&d/ois/kdmipe

Watanabe, Hiroaki

Department of Earth Sciences

Kanazawa University
Kanazawa, 920-1192, Japan
Fax: +81 76 264 5746
E-mail: hiro741@kenroku.kanazawa-u.ac.jp
Web: earth.s.kanazawa-u.ac.jp/chronology/EnglishPage/indexE.html

Watanabe, Koichiro

Department of Mining
Faculty of Engineering
Kyushu University
36 Hakozaki, Higashi-ku, Fukuoka 812-8581, Japan
Phone: +81 92 642 3634
E-mail: wat@mine.kyushu-u.ac.jp
Web: www.eng.kyushu-u.ac.jp/index-e.html

Weber, Ursula D.

School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia
Phone: +61 3 8344 9669 /7675
Fax: +61 3 8344 7761
E-mail: u.weber@pgrad.unimelb.edu.au
Web: www.earthsci.unimelb.edu.au/~udw

Westgate, John A.

Environmental Sciences, Physical Sciences Division
University of Toronto
Scarborough Campus, 1265 Military Trail, Scarborough, ON M1C 1A4, Canada
Phone: +1 416 287 7234
Fax: +1 416 287 7279
E-mail: westgate@scar.utoronto.ca
Web: glacier.scar.utoronto.ca

Wiesinger, Maria

Universität Salzburg
Institut für Geologie und Paläontologie
Hellbrunner Straße 34
A-5020 Salzburg
E-mail: maria1.wiesinger@sbg.ac.at

Willet, Sean D.

Department of Geological Sciences
University of Washington
P.O. Box 351310, Seattle Washington 98195-1310, USA
Phone: +1 206 543 8653
Fax: +1 206 543 3836
E-mail: swillett@u.washington.edu
Web: www.geology.washington.edu/~willett

Wu, Qianhong

Changsha Institute of Geotectonics
Academia Sinica
Changsha 410013, Hunan Province, P.R. China
Phone: +86 731 885 9165
Fax: +86 731 885 9137
E-mail: wqh@ms.csig.ac.cn
Web: www.csig.ac.cn

Wyatt, Bruce

Stockdale Prospecting Ltd.
60 Wilson Street, Box 126, South Yarra, Vic 3141 Australia
Fax: +61 8 9378 0020
Email: bruce@spl.oz.au

Xu, Ganqing

Department of Earth Sciences
University of Waikato
Private Bag 3105, Hamilton 2001, New Zealand
Phone: +64 7 838 4024
Fax: +64 7 856 0115
E-mail: xu1@waikato.ac.nz
Web: sci.waikato.ac.nz/cgi-bin/dynapage.pl?pagename=erth

Yamada, Ryuji

Nagaoka Institute of Snow and Ice Studies
National Research Institute for Earth Science and Disaster Prevention
9400082 Suyoshi, Nagaoka, Niigata, Japan

Phone: +81 258 35 7522
Fax: +81 258 35 0020
E-mail: ryamada@nagaoka.bosai.go.jp
Web: www.bosai.go.jp/ad/Eng/division.htm

Yamashita, Tohru

Kyoto Fission-Track Co., Ltd.
44-4 Minamitajiri-cho, Omiya, Kita-ku
Kyoto 603-8832, Japan
Phone: +81-75-493-0684
Fax: +81-75-493-0741
E-mail: kyoto-ft@mb.newweb.ne.jp

Yang, Tsanyao Frank

Department of Geology
National Taiwan University
245 Chou-shan Road, Taipei 106-17, Taiwan
Phone: +886 2 2369 5568
Fax: +886 2 2363 6095
E-mail: tyang@ccms.ntu.edu.tw
Web: www.gl.ntu.edu.tw/english_mode

Yegingil, Zehra

Physics Department
Cukurova University
P.O. Box 171, 01330 Adana, Turkey
E-mail: zehra@cu.edu.tr
Web: www.cu.edu.tr/fakulteler/fe

Yoshioka, Tetsu

Kyoto Fission-Track Co., Ltd.
44-4 Minamitajiri-cho, Omiya, Kita-ku
Kyoto 603-8832, Japan
Phone: +81-75-493-0684
Fax: +81-75-493-0741
E-mail: kyoto-ft@mb.newweb.ne.jp

Yuan, Wanming

Institute of High Energy Physics
Chinese Academy of Sciences
P.O. Box 2732, Beijing 100080, P.R. China
E-mail: yuanwm@ihepa.ac.cn
Web: www.ihep.ac.cn/english/index.htm

Yuexing, Feng

Department of Earth Sciences
University of Queensland
St Lucia, Brisbane QLD 4072, Australia
Fax: +61 7 3365 1277
E-mail: feng@earthsciences.uq.edu.au
Web: www.earth.uq.edu.au

Zattin, Massimiliano

Dipartimento di Scienze Geologiche
Universita di Bologna
Via Zamboni 67, 40127 Bologna, Italy

Phone: +39 51209 4579
Fax: +39 51209 4522
E-mail: zattin@geomin.unibo.it
Web: www.geomin.unibo.it

Zeitler, Peter K.

Department of Earth and Environmental Sciences
Lehigh University
31 Williams Drive, Bethlehem, PA 18015, USA
Phone: +1 215 758 3671
Fax: +1 215 758 3677
E-mail: peter.zeitler@lehigh.edu
Web: www.ees.lehigh.edu

Zentilli, Marcos

Department of Earth Sciences
Dalhousie University
Halifax, Nova Scotia, B3H 3J5, Canada
Phone: +1 902 494 3873
Fax: +1 902 494 6889
E-mail: marcos.zentilli@dal.ca
Web: meguma.earthsciences.dal.ca/staff/zentilli/zentilli.htm

Zhao, Yunlong

Beijing Geological Research Institute of Nuclear Industry
P.O.Box 9818 Beijing, P.R. China
Fax: +86 010 6491 7143
Web: www.cnnccn.net

Zhou, Zuyi

Department of Marine Geology and Geophysics
Tongji University
1239 Siping Road, 200092 Shanghai, China
Phone: +86 21 6598 2358
Fax: +86 21 6502 6278
E-mail: zzydmg@tju.ihep.ac.cn
Web: www.tongji.edu.cn/lib_english/enindex.htm

Zuffa, Gian Gaspare

Dipartimento di Scienze Geologiche
Universita di Bologna
Via Zamboni 67, 40127 Bologna, Italy
Phone: +39 51209 4540
Fax: +39 51209 4522
E-mail: zuffa@geomin.unibo.it
Web: www.geomin.unibo.it

Zwingmann, Horst

CSIRO Petroleum Resources
P.O. Box 136, North Ryde NSW 1670, Australia
Phone: +61 2 9490 8666
Fax: +61 2 9490 8902
E-mail: h.zwingmann@dpr.csiro.au
Web: www.dpr.csiro.au/research/tbe.html

Call for Contributions

The next issue of On Track is scheduled for early in 2004 and we are (always) looking for contributions. On Track welcomes contributions of virtually any kind, including scientific articles, news, gossip, job openings, descriptions of new lab techniques, reviews of useful products, ravings about what your lab is doing perfectly, meeting announcements, cartoons and descriptions of what you are doing in your research.

On Track includes a list of recent and forthcoming fission-track papers. If you know of a paper that was published recently or is in press and should appear in the list, please let the editor know so that it can be added to the list. Also, if you happen to change location due to a change in jobs or finishing off the thesis and graduating, please inform the editor. Thesis abstracts are particularly encouraged! On Track is also happy to print advertisements. Please contact the editor for advertising rates.

Send contributions to:

Rod Brown
School of Earth Sciences
University of Melbourne
Parkville, Victoria 3010, Australia

Phone: +61 3 8344 9868 /7675
Fax: +61 3 8344 7761
E-mail: rwbrown@unimelb.edu.au
Web: www.earthsci.unimelb.edu.au